

USD List Price Guide ■ ■ ■

Effective April 1, 2010



datamax·one!
right by our customers.



datamax o'neil
right by our customers.

Stationary Products Pricing

USD – Effective April 1st 2010

Summary of Changes:

M-Class Mark II

CID #	Description	Present List Price	New List Price
KJ2-00-xxxxxxx	M-4210 Printer	\$ 1,495.00	\$ 1,295.00
KA3-00-xxxxxxx	M-4308 Printer	\$ 1,695.00	\$ 1,595.00
Option-6	Present Sensor & Internal Rewinder	\$ 295.00	\$ 225.00
Option-4	Standard Cutter	\$ 695.00	495.00

I-Class

CID #	Description	Present List Price	New List Price
R22-00-xxxxxxx	I-4212	\$ 1,595.00	\$ 1,495.00
R23-00-xxxxxxx	I-4308	\$ 1,995.00	\$ 1,895.00
Option-9	Present Sensor & Internal Rewinder	\$ 395.00	\$ 350.00
Option-4	Standard Cutter	\$ 795.00	\$ 675.00
Option-Y	LAN	\$ 300.00	\$ 275.00
Option-S	Wireless LAN	\$ 845.00	\$ 475.00

H-Class

CID #	Description	Present List Price	New List Price
Option-4 (For H-6xxx)	Standard Cutter	\$ 1,395.00	\$ 795.00
Option-4 (For H-8308X)	Standard Cutter	\$ 1,695.00	\$ 1,395.00

E-Class Mark II

CID #	Description	Present List Price	New List Price
Option-8	8MB Interface Option now Standard	N/A	N/A
Option-B	4MB Interface Option now Obsolete	N/A	N/A

Ex2

CID #	Description	Present List Price	New List Price
Z31-00-xxxxxxx	203dpi, DT, tear, 4MB	\$ 520.00	\$ 495.00
Z32-00-xxxxxxx	203dpi, DT, tear, 8MB	\$ 600.00	\$ 495.00
Z33-00-xxxxxxx	203dpi, DT, tear, 8MB, LAN	\$ 799.00	\$ 640.00
Z34-00-xxxxxxx	203dpi, DT, tear/peeler, 4MB	\$ 645.00	\$ 530.00
Z35-00-xxxxxxx	203dpi, DT, tear/peeler, 8MB	\$ 725.00	\$ 530.00
Z36-00-xxxxxxx	203dpi, DT, tear/peeler, 8MB, LAN	\$ 924.00	\$ 675.00

MP Series

CID #	Description	Present List Price	New List Price
Various	Introduction of MP Compact Mark ii and MP Compact Mobile Mark II	various	various

M-Class Mark II



Common Standard Features

RAM: 16MB

Flash Memory: 8MB

Serial/Parallel/USB connectivity

Bitmapped Fonts: 9

Scalable Fonts: 3

Three Media Hub Configurations

Media Viewing Window

Real Time Clock

M-4206

Maximum Print Speed: 6 ips

Maximum Print Width: 4.25"

Printhead Density: 203 dpi

3 Button or LCD Display

M-4210

Maximum Print Speed: 10 ips

Maximum Print Width: 4.25"

Printhead Density: 203 dpi

3 Button or LCD Display

M-4308

Maximum Print Speed: 8 ips

Maximum Print Width: 4.25"

Printhead Density: 300 dpi

3 Button or LCD Display

M-4206, M-4210, & M-4308

K - - - - - 0

USD

Printer Model

M-4206 8MB Flash w/Graphic Display	\$1,145	D2
M-4210 8MB Flash w/Graphic Display	\$1,295	J2
M-4308 8MB Flash w/Graphic Display	\$1,595	A3

Custom Kit

Datamax Kit	\$0	00
China Kit	\$0	07
Anti-Corrosion Kit (M-4206 only)	\$600	J4

Direct Thermal/Thermal Transfer

Direct Thermal	\$0	0
Bi-Directional Thermal Transfer	\$100	4

A/C Power (Aurorange Supply) Configuration and Cord

No Power Cord Supplied	\$0	0
220v: Black Power Cord With Straight-In European Plug	\$0	3
220v: Black Power Cord With 90 Deg British Plug	\$0	4
220v: Black Power Cords, British And European	\$0	6
100v: Black Power Cord With Japanese Plug	\$0	7
110v: Black Power Cord With U.S. Plug	\$0	8
220v: Black Power Cord With South Africa Plug	\$0	9
220v: Black Power Cord With Straight-In Swiss Plug	\$0	F
220v: Black Power Cord With Straight-In Australian Plug	\$0	N
220v: Black Power Cord With Straight-In Italian Plug	\$0	P
220v: Black Power Cord With Israel Plug	\$0	U
220v: Black Power Cord With Straight-In Argentinean Plug	\$0	W
220v: Black Power Cord With Straight-In Chinese Plug	\$0	Y

Peel & Present and Internal Rewind Option

No Internal Rewinder	\$0	0
Present Sensor and No Internal Rewinder	\$95	1
Internal Rewinder	\$200	4
Present Sensor and Internal Rewinder	\$225	6
Cast Peel & Present Option and Internal Rewind	\$375	9

Cutter Option

Do Not Include This Option	\$0	0
Standard Cutter (10mil)	\$495	4

Font Expansion Option

Do Not Include This Option	\$0	0
PL-Z Emulation	\$0	1
PL-I Emulation	\$0	2
Kanji Gothic B Font	\$0	H
Simplified Chinese Font	\$0	N
Korean Hangul Font	\$0	V
PL-Z Emulation and Kanji Font	\$0	P
PL-Z Emulation and Chinese Font	\$0	Q

Interface Options

Do Not Include This Option	\$0	0
Internal LAN & Wireless B/G & USB Host Option (M-4210&M4308 only)	\$550	3
Internal LAN Option	\$175	Y
Internal LAN & Wireless B/G	\$450	S
Internal LAN & USB Host Option (M-4210&M4308 only)	\$250	V
USB Host (M-4210&M4308 only)	\$175	U

Scanner/RFID Option

Do Not Include This Option	\$0	0
----------------------------	-----	---

Misc. Options

Fixed Media Hanger	\$0	0
40mm Media Hub	\$0	6
3.0" Media Hub	\$0	7

M-Class Mark II

Common Options

Part#	Description	USD
-----	MCL (see separate Datamax MCL price list) <i>(M4210 & M-4308 only)</i>	N/A
OPT78-2697-01	Thermal Transfer Option <i>(CSI/CSO)</i>	\$100.00
OPT78-2737-01	Peel Mechanism and Present Sensor – <i>recommend use with IR</i>	\$175.00
OPT78-2482-02	Peel Mechanism and Present Sensor – <i>recommend use with IR (M-4308 only)</i>	\$175.00
OPT78-2735-02	Internal Rewind	\$200.00
OPT78-2736-01	Present Sensor Only Option	\$95.00
OPT78-2738-01	Standard Cutter Kit for 10 mil stock	\$495.00
DPO32-2300-01	DB9 RS232 Serial Data Cable	\$35.00
DPO32-2301-01	DB25 RS232 Serial Data Cable	\$35.00
OPT78-2724-02	DMXNet II LAN and USB Host Card	\$250.00
OPT78-2724-03	DMXNet II LAN Card	\$175.00
OPT78-2724-04	USB Host Card	\$150.00
OPT78-2724-11	DMXNet II 802.11b/g Wireless, LAN, and USB Card	\$550.00
OPT78-2724-15	DMXNet II 802.11b/g Wireless and LAN Card	\$450.00
OPT78-2676-XX	RFID Field Upgrade Kit UHF <i>(M4210 & M-4308 only)</i>	\$1,500.00
OPT78-2676-XX	RFID Field Upgrade Kit HF <i>(M4210 & M-4308 only)</i>	\$955.00
DPO78-2394-01	External Rewinder / Unrewinder DMXREW1 110 volt (up to 4.5" wide and 8" OD roll)*	\$495.00
DPO78-2394-02	External Rewinder / Unrewinder DMXREW1 220 volt (up to 4.5" wide and 8" OD roll)*	\$495.00

* Items do not qualify for standard contract discounts.

I-Class



Common Standard Features

Serial/Parallel Communications
 32 bit 90MHz Processor
 2 Line LCD Display

Real Time Clock
 Convertible 1.5"/3.0" Media Hub

Media Viewing Window
 Direct Thermal

I-4208

Maximum Print Speed: 8 ips
 Maximum Print Width: 4.09"

Printhead Density: 203 dpi
 Flash Memory: 1MB

RAM: 8MB

I-4212

Maximum Print Speed: 12 ips
 Maximum Print Width: 4.09"

Printhead Density: 203 dpi
 Flash Memory: 2MB

RAM: 16MB

I-4308

Maximum Print Speed: 8 ips
 Maximum Print Width: 4.09"

Printhead Density: 300 dpi
 Flash Memory: 2MB

RAM: 16MB

I-4406

Maximum Print Speed: 6 ips
 Maximum Print Width: 4.16"

Printhead Density: 400 dpi
 Flash Memory: 2MB

RAM: 16MB

I-4604

Maximum Print Speed: 4 ips
 Maximum Print Width: 4.16"

Printhead Density: 600 dpi
 Flash Memory: 2MB

RAM: 16MB

I-4208, I-4212, I-4308, I-4406, & I-4604

R - 00 -

Printer Model

	USD	
I-4208 203DPI Printer	\$1,495	42
I-4212 203DPI Printer	\$1,495	22
I-4308 300DPI Printer	\$1,895	23
I-4406 400DPI Printer	\$2,895	44
I-4604 600DPI Printer	\$3,095	46

Custom Kit

Datamax Kit	\$0	00
-------------	-----	----

Direct Thermal/Thermal Transfer

Direct Thermal	\$0	0
Thermal Transfer Coated Side In	\$100	1
Thermal Transfer Coated Side Out	\$100	3

A/C Power (Aurorange Supply) Configuration and Cord

No Power Cord Supplied	\$0	0
220v: Black Power Cord With Straight-In European Plug	\$0	3
220v: Black Power Cord With 90 Deg British Plug	\$0	4
220v: Black Power Cords, British And European	\$0	6
100v: Black Power Cord With Japanese Plug	\$0	7
110v: Black Power Cord With U.S. Plug	\$0	8
220v: Black Power Cord With South Africa Plug	\$0	9
220v: Black Power Cord With Straight-In Swiss Plug	\$0	F
220v: Black Power Cord With Straight-In Australian Plug	\$0	N
220v: Black Power Cord With Straight-In Italian Plug	\$0	P
220v: Black Power Cord With Israel Plug	\$0	U
220v: Black Power Cord With Straight-In Argentinean Plug	\$0	W
220v: Black Power Cord With Straight-In Chinese Plug	\$0	Y

Peel & Present and Internal Rewind Option

No Internal Rewinder	\$0	0
Internal Rewinder	\$200	4
Cast Peel & Present Option and Internal Rewind	\$350	9

Cutter Option

Do Not Include This Option	\$0	0
Backing Only Cutter (5mil)	\$595	3
Standard Cutter (10mil)	\$675	4

Font Expansion Option

Do Not Include This Option	\$0	0
PL-Z Emulation (not available for I-4208)	\$0	1
PL-I Emulation (not available for I-4208)	\$0	2
I/O Expansion Board w/RTC, GPIO and 8MB Flash	\$165	5
ILPC - CG Times Only Font - download / unlock (for I-4208 only)	\$0	A
ILPC - CG Times Font Family (for I-4208 only)	\$0	G
Kanji Gothic B Font	\$0	H
Simplified Chinese	\$0	N
Korean Hangul Font	\$0	V
PL-Z Emulation and Kanji Font (not available for I-4208)	\$0	P
PL-Z Emulation and Chinese Font (not available for I-4208)	\$0	Q

Interface Options

Do Not Include This Option	\$0	0
Twinax Interface Kit	\$1,295	1
Coax Interface Kit	\$1,295	2
RS-422 Interface Option	\$95	7
RS-422 and DMXNet II Wired LAN (not available for I-4208)	\$395	C
DMXrNet II Internal Wired & Wireless B/G LAN (not available for I-4208)	\$475	S
USB	\$150	U
DMXNet II Wired LAN (not available for I-4208)	\$275	Y
DMXNet Wired LAN (for I-4208 only)	\$275	Y
MCL Second Serial Port GPIO	\$195	Z

Scanner/Rfid Option

Do Not Include This Option	\$0	0
Linear Barcode Scanner	\$1,395	S

Misc. Options

3.0"/1.5" Media Hub	\$0	7
40mm Media Hub	\$15	6
Fixed Media Hanger (for I-4208 only)	\$0	0
No Media Hub (for I-4208 only)	\$0	N

RFID I-4212, I-4308, I-4406, & I-4604

	USD	R	J2							
Printer Model										
I-4212 203DPI RFID (HF) Printer	\$1,720	82								
I-4308 300DPI RFID (HF) Printer	\$2,120	83								
I-4406 400DPI RFID (HF) Printer	\$3,020	84								
I-4604 600DPI RFID (HF) Printer	\$4,090	86								
Custom Kit										
Datamax RFID HF Kit	\$0		J2							
Direct Thermal/Thermal Transfer										
Direct Thermal	\$0			0						
Thermal Transfer Coated Side In	\$100				1					
Thermal Transfer Coated Side Out	\$100					3				
A/C Power (Autorange Supply) Configuration and Cord										
No Power Cord Supplied	\$0									0
220v: Black Power Cord With Straight-In European Plug	\$0									3
220v: Black Power Cord With 90 Deg British Plug	\$0									4
220v: Black Power Cords, British And European	\$0									6
100v: Black Power Cord With Japanese Plug	\$0									7
110v: Black Power Cord With U.S. Plug	\$0									8
220v: Black Power Cord With South Africa Plug	\$0									9
220v: Black Power Cord With Straight-In Swiss Plug	\$0									F
220v: Black Power Cord With Straight-In Australian Plug	\$0									N
220v: Black Power Cord With Straight-In Italian Plug	\$0									P
220v: Black Power Cord With Israel Plug	\$0									U
220v: Black Power Cord With Straight-In Argentinean Plug	\$0									W
220v: Black Power Cord With Straight-In Chinese Plug	\$0									Y
Peel & Present and Internal Rewind Option										
No Internal Rewinder	\$0									0
Internal Rewinder	\$200									4
Cast Peel & Present Option and Internal Rewind	\$350									9
Cutter Option										
Do Not Include This Option	\$0									0
Font Expansion Option										
Do Not Include This Option	\$0									0
PL-Z Emulation	\$0									1
PL-I Emulation	\$0									2
I/O Expansion Board w/RTC, GPIO and 8MB Flash	\$165									5
Kanji Gothic B Font	\$0									H
Simplified Chinese Font	\$0									N
Korean Hangul Font	\$0									V
PL-Z Emulation and Kanji Font	\$0									P
PL-Z Emulation and Chinese Font	\$0									Q
Interface Options										
Do Not Include This Option	\$0									0
Twinax Interface Kit	\$1,295									1
Coax Interface Kit	\$1,295									2
RS-422 Interface Option	\$95									7
RS-422 and DMXNet II Wired LAN	\$395									C
DMXrfNet II Internal Wired & Wireless B/G LAN	\$475									S
USB	\$150									U
DMXNet II Wired LAN (<i>not available for I-4208</i>)	\$275									Y
MCL Second Serial Port GPIO	\$195									Z
Scanner/RFID Option										
RFID 13.56MHZ Option	\$870									R
RFID Ready w/Regulator Option	\$0									X
Misc. Options										
3.0"/1.5" Media Hub	\$0									7
40mm Media Hub	\$15									6

I-Class

Options

Part#	Description	USD
---	MCL (see separate Datamax MCL price list)	N/A
OPT78-2300-01	Standard Thermal Transfer Option (<i>Coated side in</i>)	\$100.00
OPT78-2300-12	Thermal Transfer Option (<i>Coated side out</i>)	\$100.00
OPT78-2444-01	Peel Mechanism and Present Sensor – <i>requires Internal Rewinder</i>	\$195.00
OPT78-2302-02	Internal Rewinder	\$200.00
OPT78-2256-02	Multi Expansion Board (<i>RTC, GPIO & 8MB Flash</i>)	\$165.00
OPT78-2305-01	Twinax Interface Kit	\$1,295.00
OPT78-2305-02	Coax Interface Kit	\$1,295.00
OPT78-2657-01	DMXNet II Wired LAN Kit (not available for I-4208)	\$300.00
OPT78-2657-13	DMXrfNet II 802.11b/g Wired/Wireless LAN Kit (not available for I-4208)	\$845.00
OPT78-2411-01	DMXNet Wired Lan Kit (for I-4208 only)	\$300.00
OPT78-2332-01	RS 422 Interface Option	\$95.00
OPT78-2388-01	Internal USB Interface Option	\$150.00
DPO78-2394-01	External Rewinder / Unrewinder DMXREW1 110 volt (up to 4.5" wide and 8" OD roll)*	\$495.00
DPO78-2394-02	External Rewinder / Unrewinder DMXREW1 220 volt (up to 4.5" wide and 8" OD roll)*	\$495.00
OPT78-2295-01	Standard Cutter Kit for 10 mil stock	\$675.00
OPT78-2316-01	Light Duty Cutter, designed for 5 mil stock	\$595.00
OPT78-2331-01	Media Tray for cutter	\$90.00

* Items do not qualify for standard contract discounts.

H-Class



Common Standard Features

RAM: 16MB	Bitmapped Fonts: 9	Microprocessor: 32 bit: 200MHz
Flash Memory: 8MB	Scalable Fonts: 3	Media Viewing Window
Serial/Parallel/Ethernet/USB connectivity	Revolving Media Hub 3"	Real Time Clock

H-4212

Maximum Print Speed: 12 ips	Printhead Density: 203 dpi
Maximum Print Width: 4.09"	128 X 64 LCD Display

H-4310

Maximum Print Speed: 10 ips	Printhead Density: 300 dpi
Maximum Print Width: 4.16"	128 X 64 LCD Display

H-4408

Maximum Print Speed: 8 ips	Printhead Density: 400 dpi
Maximum Print Width: 4.09"	128 X 64 LCD Display

H-4606

Maximum Print Speed: 6 ips	Printhead Density: 600 dpi
Maximum Print Width: 4.09"	128 X 64 LCD Display

H-6210

Maximum Print Speed: 10 ips	Printhead Density: 203 dpi
Maximum Print Width: 6.61"	128 X 64 LCD Display

H-6308

Maximum Print Speed: 8 ips	Printhead Density: 300 dpi
Maximum Print Width: 6.40"	128 X 64 LCD Display

H-4212, H-4310, H-4408, & H-4606

C - - - - -

USD

Printer Model

H-4212 8MB Flash Printer w/Short Display	\$2,195	52
H-4212 8MB Flash Printer w/Tall Display	\$2,395	42
H-4310 8MB Flash Printer w/Short Display	\$2,395	13
H-4310 8MB Flash Printer w/Tall Display	\$2,595	43
H-4408 8MB Flash Printer w/Short Display	\$2,995	24
H-4408 8MB Flash Printer w/Tall Display	\$3,195	34
H-4606 8MB Flash Printer w/Short Display	\$3,995	26
H-4606 8MB Flash Printer w/Tall Display	\$4,195	36

Custom Kit

Datamax Standard Kit	\$0	00
China Kit	\$0	07

Direct Thermal/Thermal Transfer

Direct Thermal	\$0	0
Bi-Directional Thermal Transfer	\$100	4

A/C Power (Aurorange Supply) Configuration and Cord

No Power Cord Supplied	\$0	0
220v: Black Power Cord With Straight-In European Plug	\$0	3
220v: Black Power Cord With 90 Deg British Plug	\$0	4
220v: Black Power Cords, British And European	\$0	6
100v: Black Power Cord With Japanese Plug	\$0	7
110v: Black Power Cord With U.S. Plug	\$0	8
220v: Black Power Cord With South Africa Plug	\$0	9
220v: Black Power Cord With Straight-In Swiss Plug	\$0	F
220v: Black Power Cord With Straight-In Australian Plug	\$0	N
220v: Black Power Cord With Straight-In Italian Plug	\$0	P
220v: Black Power Cord With Israel Plug	\$0	U
220v: Black Power Cord With Straight-In Argentinean Plug	\$0	W
220v: Black Power Cord With Straight-In Chinese Plug	\$0	Y

Peel & Present and Internal Rewind Option

No Internal Rewinder	\$0	0
Present Sensor and No Internal Rewinder	\$95	1
Internal Rewinder	\$200	4
Present Sensor and Internal Rewinder	\$295	6
Cast Peel & Present Option and Internal Rewind	\$395	9
Basic Peel & Internal Rewind	\$300	E

Cutter Option

Do Not Include This Option	\$0	0
Standard Cutter	\$695	4

Font Expansion Option

Do Not Include This Option	\$0	0
PL-Z Emulation	\$0	1
PL-I Emulation	\$0	2
Kanji Gothic B Font	\$0	H
Simplified Chinese Font	\$0	N
Korean Hangul Font	\$0	V
PL-Z Emulation and Kanji Font	\$0	P
PL-Z Emulation and Chinese Font	\$0	Q

Interface Options

Do Not Include This Option	\$0	0
Applicator Card Kit	\$395	P
Applicator Card & USB/SDIO Option	\$495	F
Applicator Card & Wireless B/G Option	\$990	K
Applicator Card, Wireless B/G Option & USB/SDIO	\$1,090	M
Internal LAN & Wireless B/G & USB/SDIO Option	\$695	J
USB & SDIO Option	\$100	E
Wireless B/G Option	\$595	S

Scanner/RFID Option

Do Not Include This Option	\$0	0
Linear Barcode Scanner	\$1,395	S
RFID Ready Option	\$200	Z

Misc. Options

40mm Media Hub	\$15	6
3.0" Plastic Media Hub	\$0	7

H-6210 & H-6308

C - - - - - 4

USD

Printer Model

H-6210 8MB Flash Printer w/Short Display	\$3,195	72
H-6210 8MB Flash Printer w/Tall Display	\$3,395	82
H-6308 8MB Flash Printer w/Short Display	\$3,495	73
H-6308 8MB Flash Printer w/Tall Display	\$3,695	93

Custom Kit

Datamax Standard Kit	\$0	00
China Kit	\$0	07

Direct Thermal/Thermal Transfer

Direct Thermal	\$0	0
Bi-Directional Thermal Transfer	\$100	4

A/C Power (Aurorange Supply) Configuration and Cord

No Power Cord Supplied	\$0	0
220v: Black Power Cord With Straight-In European Plug	\$0	3
220v: Black Power Cord With 90 Deg British Plug	\$0	4
220v: Black Power Cords, British And European	\$0	6
100v: Black Power Cord With Japanese Plug	\$0	7
110v: Black Power Cord With U.S. Plug	\$0	8
220v: Black Power Cord With South Africa Plug	\$0	9
220v: Black Power Cord With Straight-In Swiss Plug	\$0	F
220v: Black Power Cord With Straight-In Australian Plug	\$0	N
220v: Black Power Cord With Straight-In Italian Plug	\$0	P
220v: Black Power Cord With Israel Plug	\$0	U
220v: Black Power Cord With Straight-In Argentinean Plug	\$0	W
220v: Black Power Cord With Straight-In Chinese Plug	\$0	Y

Peel & Present and Internal Rewind Option

No Internal Rewinder	\$0	0
Present Sensor and No Internal Rewinder	\$95	1
Internal Rewinder	\$225	4
Present Sensor and Internal Rewinder	\$320	6
Basic Peel & Internal Rewind	\$325	E

Cutter Option

Do Not Include This Option	\$0	0
Standard Cutter	\$795	4

Font Expansion Option

Do Not Include This Option	\$0	0
PL-Z Emulation	\$0	1
PL-I Emulation	\$0	2
Kanji Gothic B Font	\$0	H
Simplified Chinese Font	\$0	N
Korean Hangul Font	\$0	V
PL-Z Emulation and Kanji Font	\$0	P
PL-Z Emulation and Chinese Font	\$0	Q

Interface Options

Do Not Include This Option	\$0	0
Applicator Card Kit	\$395	P
Applicator Card & USB/SDIO Option	\$495	F
Applicator Card & Wireless B/G Option	\$990	K
Applicator Card, Wireless B/G Option & USB/SDIO	\$1,090	M
Internal LAN & Wireless B/G & USB/SDIO Option	\$695	J
USB & SDIO Option	\$100	E
Wireless B/G Option	\$595	S

Scanner/Rfid Option

Do Not Include This Option	\$0	0
Linear Barcode Scanner	\$1,395	S
RFID Ready Option	\$200	Z

Misc. Options

3.0" Plastic Media Hub	\$0	4
------------------------	-----	---

H-Class

Common Options

Part#	Description	USD
-----	MCL (see separate Datamax MCL price list)	N/A
DPR78-2694-02	Large Display (320 X 240)	\$200.00
DPR78-2622-02	SDIO/USB Option	\$100.00
OPT78-2619-01	Present Sensor	\$95.00
OPT78-2649-01	GPIO Applicator Interface Card	\$395.00
DPO32-2603-01	GPIO RJ-45 to DB9 Serial Adapter Cable	\$35.00
OPT78-2657-12	DMXrfNet II Internal 802.11b/g WiFi Card	\$595.00
DPO78-2394-01	External Rewinder / Unrewinder DMXREW1 110 volt (up to 4.5" wide and 8" OD roll)*	\$495.00
DPO78-2394-02	External Rewinder / Unrewinder DMXREW1 220 volt (up to 4.5" wide and 8" OD roll)*	\$495.00
DPO78-2393-01	External Rewinder / Unrewinder DMXREW2 110 volt (up to 10" wide and 12" OD roll)*	\$895.00
DPO78-2393-02	External Rewinder / Unrewinder DMXREW2 220 volt (up to 10" wide and 12" OD roll)*	\$895.00
DPR78-2667-xx	RFID UHF – field upgrade (multi-protocol, EPCglobal, Gen2 compatible, w/power – used with RFID ready printers only)	\$1,500.00

* Items do not qualify for standard contract discounts.

4" Model Options

Part#	Description	USD
OPT78-2613-04	Plastic Thermal Transfer Option <i>(Coated side in/Coated side out)</i>	\$100.00
OPT78-2617-01	HD Peel Mechanism and Present Sensor – <i>requires Internal Rewinder</i>	\$195.00
OPT78-2655-01	Basic Peel and Present Sensor – <i>requires Internal Rewinder Mechanism</i>	\$100.00
OPT78-2615-01	Internal Rewinder	\$200.00
DPR78-2629-01	Linear Barcode Scanner	\$1,395.00
OPT78-2618-01	Standard Cutter Kit for 10 mil stock	\$695.00

6" Model Options

Part#	Description	USD
OPT78-2613-11	Metal Thermal Transfer Option <i>(Coated side in/Coated side out)</i>	\$100.00
OPT78-2655-11	Basic Peel and Present Sensor – <i>requires Internal Rewinder Mechanism</i>	\$100.00
OPT78-2615-11	Internal Rewinder	\$225.00
DPR78-2629-11	Linear Barcode Scanner	\$1,395.00
OPT78-2618-11	Standard Cutter Kit for 10 mil stock	\$795.00

H-Class

"X" models



Common Standard Features

RAM: 16MB

Flash Memory: 8MB

Serial/Parallel/Ethernet/USB connectivity

2 USB Host Ports/ SDIO Slot

Bitmapped Fonts: 9

Scalable Fonts: 3

Revolving Media Hub 3"

Microprocessor:32 bit:200MHz

Media Viewing Window

Real Time Clock

H-4212X

Maximum Print Speed: 12 ips

Maximum Print Width: 4.10"

Printhead Density: 203 dpi

240 X 320 LCD Display

H-4310X

Maximum Print Speed: 10 ips

Maximum Print Width: 4.16"

Printhead Density: 300 dpi

240 X 320 LCD Display

H-4606X

Maximum Print Speed: 6 ips

Maximum Print Width: 4.16"

Printhead Density: 600 dpi

240 X 320 LCD Display

H-6212X

Maximum Print Speed: 12 ips

Maximum Print Width: 6.61"

Printhead Density: 203 dpi

240 X 320 LCD Display

H-6310X

Maximum Print Speed: 10 ips

Maximum Print Width: 6.40"

Printhead Density: 300 dpi

240 X 320 LCD Display

H-8308X

Maximum Print Speed: 8 ips

Maximum Print Width: 8.52"

Printhead Density: 300 dpi

240 X 320 LCD Display

H-4212X, H-4310X & H-4606X

USD

Printer Model

H-4212X 8MB Flash Printer	\$2,595	32
H-4310X 8MB Flash Printer	\$2,795	33
H-4606X 8MB Flash Printer	\$4,795	46

Custom Kit

Datamax Standard Kit	\$0	00
China Kit	\$0	07

Direct Thermal/Thermal Transfer

Direct Thermal	\$0	0
Bi-Directional Thermal Transfer	\$100	4

A/C Power (Autorange Supply) Configuration and Cord

No Power Cord Supplied	\$0	0
220v: Black Power Cord With Straight-In European Plug	\$0	3
220v: Black Power Cord With 90 Deg British Plug	\$0	4
220v: Black Power Cords, British And European	\$0	6
100v: Black Power Cord With Japanese Plug	\$0	7
110v: Black Power Cord With U.S. Plug	\$0	8
220v: Black Power Cord With South Africa Plug	\$0	9
220v: Black Power Cord With Straight-In Swiss Plug	\$0	F
220v: Black Power Cord With Straight-In Australian Plug	\$0	N
220v: Black Power Cord With Straight-In Italian Plug	\$0	P
220v: Black Power Cord With Israel Plug	\$0	U
220v: Black Power Cord With Straight-In Argentinean Plug	\$0	W
220v: Black Power Cord With Straight-In Chinese Plug	\$0	Y

Peel & Present and Internal Rewind Option

No Internal Rewinder	\$0	0
Present Sensor and No Internal Rewinder	\$95	1
Internal Rewinder	\$325	4
Present Sensor and Internal Rewinder	\$420	6
Cast Peel & Present Option and Internal Rewind	\$520	9
Basic Peel & Internal Rewind	\$425	E

Cutter Option

Do Not Include This Option	\$0	0
Standard Cutter	\$695	4

Font Expansion Option

Do Not Include This Option	\$0	0
PL-Z Emulation	\$0	1
PL-I Emulation	\$0	2
Kanji Gothic B Font	\$0	H
Simplified Chinese Font	\$0	N
Korean Hangul Font	\$0	V
PL-Z Emulation and Kanji Font	\$0	P
PL-Z Emulation and Chinese Font	\$0	Q

Interface Options

Do Not Include This Option	\$0	0
Applicator Card Kit	\$395	P
Applicator Card & Wireless B/G Option	\$990	K
Wireless B/G	\$595	S

Scanner/RFID Option

Do Not Include This Option	\$0	0
Linear Barcode Scanner	\$1,395	S
RFID Ready Option	\$200	Z

Misc. Options

3.0" Metal Media Hub	\$0	4
40mm Media Hub	\$15	6

H-6212X & H-6310X

C - - - - - 4
USD

Printer Model

H-6212X 8MB Flash Printer	\$3,695	62
H-6310X 8MB Flash Printer	\$3,995	63

Custom Kit

Datamax Standard Kit	\$0	00
China Kit	\$0	07

Direct Thermal/Thermal Transfer

Direct Thermal	\$0	0
Bi-Directional Thermal Transfer	\$100	4

A/C Power (Autorange Supply) Configuration and Cord

No Power Cord Supplied	\$0	0
220v: Black Power Cord With Straight-In European Plug	\$0	3
220v: Black Power Cord With 90 Deg British Plug	\$0	4
220v: Black Power Cords, British And European	\$0	6
100v: Black Power Cord With Japanese Plug	\$0	7
110v: Black Power Cord With U.S. Plug	\$0	8
220v: Black Power Cord With South Africa Plug	\$0	9
220v: Black Power Cord With Straight-In Swiss Plug	\$0	F
220v: Black Power Cord With Straight-In Australian Plug	\$0	N
220v: Black Power Cord With Straight-In Italian Plug	\$0	P
220v: Black Power Cord With Israel Plug	\$0	U
220v: Black Power Cord With Straight-In Argentinean Plug	\$0	W
220v: Black Power Cord With Straight-In Chinese Plug	\$0	Y

Peel & Present and Internal Rewind Option

No Internal Rewinder	\$0	0
Present Sensor and No Internal Rewinder	\$95	1
Internal Rewinder	\$520	4
Present Sensor and Internal Rewinder	\$615	6
Basic Peel & Internal Rewind	\$620	E

Cutter Option

Do Not Include This Option	\$0	0
Standard Cutter	\$795	4

Font Expansion Option

Do Not Include This Option	\$0	0
PL-Z Emulation	\$0	1
PL-I Emulation	\$0	2
Kanji Gothic B Font	\$0	H
Simplified Chinese Font	\$0	N
Korean Hangul Font	\$0	V
PL-Z Emulation and Kanji Font	\$0	P
PL-Z Emulation and Chinese Font	\$0	Q

Interface Options

Do Not Include This Option	\$0	0
Applicator Card Kit	\$395	P
Applicator Card & Wireless B/G Option	\$990	K
Wireless B/G	\$595	S

Scanner/RFID Option

Do Not Include This Option	\$0	0
Linear Barcode Scanner	\$1,395	S
RFID Ready Option	\$200	Z

Misc. Options

3.0" Metal Media Hub	\$0	4
----------------------	-----	---

H-8308X

C - - - - - 4
USD

Printer Model

H-8308X 8MB Flash Printer \$4,995 83

Custom Kit

Datamax Standard Kit \$0 00
China Kit \$0 07

Direct Thermal/Thermal Transfer

Direct Thermal \$0 0
Bi-Directional Thermal Transfer \$100 4

A/C Power (Aurorange Supply) Configuration and Cord

No Power Cord Supplied \$0 0
220v: Black Power Cord With Straight-In European Plug \$0 3
220v: Black Power Cord With 90 Deg British Plug \$0 4
220v: Black Power Cords, British And European \$0 6
100v: Black Power Cord With Japanese Plug \$0 7
110v: Black Power Cord With U.S. Plug \$0 8
220v: Black Power Cord With South Africa Plug \$0 9
220v: Black Power Cord With Straight-In Swiss Plug \$0 F
220v: Black Power Cord With Straight-In Australian Plug \$0 N
220v: Black Power Cord With Straight-In Italian Plug \$0 P
220v: Black Power Cord With Israel Plug \$0 U
220v: Black Power Cord With Straight-In Argentinean Plug \$0 W
220v: Black Power Cord With Straight-In Chinese Plug \$0 Y

Peel & Present and Internal Rewind Option

No Internal Rewinder \$0 0
Present Sensor and No Internal Rewinder \$95 1
Internal Rewinder \$725 4
Present Sensor and Internal Rewinder \$820 6
Basic Peel & Internal Rewind \$825 E

Cutter Option

Do Not Include This Option \$0 0
Standard Cutter \$1,395 4

Font Expansion Option

Do Not Include This Option \$0 0
PL-Z Emulation \$0 1
PL-I Emulation \$0 2
Kanji Gothic B Font \$0 H
Simplified Chinese Font \$0 N
Korean Hangul Font \$0 V
PL-Z Emulation and Kanji Font \$0 P
PL-Z Emulation and Chinese Font \$0 Q

Interface Options

Do Not Include This Option \$0 0
Applicator Card Kit \$395 P
Applicator Card & Wireless B/G Option \$990 K
Wireless B/G \$595 S

Scanner/RFID Option

Do Not Include This Option \$0 0
Linear Barcode Scanner \$1,395 S

Misc. Options

3.0" Metal Media Hub \$0 4

H-Class "X"

Common Options

Part#	Description	USD
-----	MCL (see separate Datamax MCL price list)	N/A
OPT78-2619-01	Present Sensor Option	\$95.00
OPT78-2649-01	GPIO Applicator Interface Card	\$395.00
DPO32-2603-01	GPIO RJ-45 to DB9 Serial Adapter Cable	\$35.00
OPT78-2657-12	DMXrfNet II Internal 802.11b/g WiFi Card	\$595.00
DPO78-2394-01	External Rewinder / Unrewinder DMXREW1 110 volt (up to 4.5" wide and 8" OD roll)*	\$495.00
DPO78-2394-02	External Rewinder / Unrewinder DMXREW1 220 volt (up to 4.5" wide and 8" OD roll)*	\$495.00
DPO78-2393-01	External Rewinder / Unrewinder DMXREW2 110 volt (up to 10" wide and 12" OD roll)*	\$895.00
DPO78-2393-02	External Rewinder / Unrewinder DMXREW2 220 volt (up to 10" wide and 12" OD roll)*	\$895.00

* Items do not qualify for standard contract discounts.

4" Model Options

Part#	Description	USD
OPT78-2613-04	Thermal Transfer Option (<i>Coated side in/Coated side out</i>)	\$100.00
OPT78-2627-01	Internal Rewinder (Powered)	\$325.00
OPT78-2655-01	Basic Peel and Present Sensor – <i>requires Internal Rewinder Mechanism</i>	\$100.00
OPT78-2617-01	HD Peel Mechanism and Present Sensor – <i>requires Internal Rewinder</i>	\$195.00
DPR78-2629-01	Linear Barcode Scanner	\$1,395.00
OPT78-2618-01	Standard Cutter Kit for 10 mil stock	\$695.00
DPR78-2667-xx	RFID UHF – field upgrade (multi-protocol, EPCglobal, Gen2 compatible, w/power – used with RFID ready printers only)	\$1,500.00

6" Model Options

Part#	Description	USD
OPT78-2613-11	Thermal Transfer Option (<i>Coated side in/Coated side out</i>)	\$100.00
OPT78-2627-11	Internal Rewinder (Powered)	\$520.00
OPT78-2655-11	Basic Peel and Present Sensor – <i>requires Internal Rewinder Mechanism</i>	\$100.00
DPR78-2629-11	Linear Barcode Scanner	\$1,395.00
OPT78-2618-11	Standard Cutter Kit for 10 mil stock	\$795.00
DPR78-2667-xx	RFID UHF – field upgrade (multi-protocol, EPCglobal, Gen2 compatible, w/power – used with RFID ready printers only)	\$1,500.00

8" Model Options

Part#	Description	USD
OPT78-2613-21	Thermal Transfer Option (<i>Coated side in/Coated side out</i>)	\$100.00
OPT78-2627-21	Internal Rewinder (Powered)	\$725.00
OPT78-2337-01	Basic Peel and Present Sensor – <i>requires Internal Rewinder Mechanism</i>	\$100.00
DPR78-2629-21	Linear Barcode Scanner	\$1,395.00
OPT78-2618-21	Standard Cutter Kit for 10 mil stock	\$1,395.00

E-Class Mark II



Common Standard Features

Fonts: Ten alphanumeric fonts: .08" (2mm) to .25" (6mm) including OCR-A, OCR-B, CG Triumvirate™ smooth font from AGFA®.

Memory: DRAM: 16MB / Flash: 4MB

Construction: Cantilevered Printhead, Die Cast Frame, Plastic Shell with a Media Viewing Window

Media Handling: Internal Rolled on Spindle, Tear Off Edge After Printing

User Interface: 3 Button / 3 LED Control Panel

Communications: Serial/Parallel/USB

E-4205e

Maximum Print Speed: 5 ips

Maximum Print Width: 4.09"

Printhead Density: 203 dpi

5" OD Media Roll Capacity

E-4304e

Maximum Print Speed: 4 ips

Maximum Print Width: 4.09"

Printhead Density: 300 dpi

5" OD Media Roll Capacity

E-4205e & E-4304e

J - 00 - 0

USD

Printer Model

E-4205 203 DPI Printer, Warm White <i>(without peeling mechanism)</i>	\$525	A2
E-4205 203 DPI Printer, Warm White <i>(with peeling mechanism)</i>	\$535	B2
E-4205 203 DPI Printer, Warm White <i>(with peeling mechanism and adjustable media sensor,</i>	\$560	C2
E-4304 300 DPI Printer, Warm White <i>(without peeling mechanism)</i>	\$720	A3
E-4304 300 DPI Printer, Warm White <i>(with peeling mechanism)</i>	\$730	B3
E-4304 300 DPI Printer, Warm White <i>(with peeling mechanism and adjustable media sensor,</i>	\$755	C3
E-4205 203 DPI Printer, Cool Grey <i>(without peeling mechanism)</i>	\$525	A4
E-4205 203 DPI Printer, Cool Grey <i>(with peeling mechanism)</i>	\$535	B4
E-4205 203 DPI Printer, Cool Grey <i>(with peeling mechanism and adjustable media sensor,</i>	\$560	C4
E-4304 300 DPI Printer, Cool Grey <i>(without peeling mechanism)</i>	\$720	A6
E-4304 300 DPI Printer, Cool Grey <i>(with peeling mechanism)</i>	\$730	B6
E-4304 300 DPI Printer, Cool Grey <i>(with peeling mechanism and adjustable media sensor,</i>	\$755	C6

Custom Kit

Standard Kit	\$0	00
--------------	-----	----

Printing Technology

Direct Thermal and Thermal Transfer	\$70	1
Direct Thermal <i>(standard)</i>	\$0	4

A/C Power Transformer Configuration and Cord

Autoranging Power Supply With South Africa Cord	\$0	B
Autoranging Power Supply With British & European Power Cords	\$0	E
Autoranging Power Supply With Israel Power Cord	\$0	G
Autoranging Power Supply Without Power Cord	\$0	H
Autoranging Power Supply With US Power Cord	\$0	J
Autoranging Power Supply With British Power Cord	\$0	K
Autoranging Power Supply With European Power Cord	\$0	L
Autoranging Power Supply With Swiss Power Cord	\$0	M
Autoranging Power Supply With Chinese Power Cord	\$0	S
Autoranging Power Supply With Australian Power Cord	\$0	T
Autoranging Power Supply With Italian Power Cord	\$0	V
Autoranging Power Supply With Japanese Power Cord	\$0	Z

Present Sensor Option

No Sensor <i>(standard)</i>	\$0	0
Downward Looking Present Sensor <i>(recommended for use with peeler model)</i>	\$90	1
Upward Looking Present Sensor <i>(recommended for use with peeler model)</i>	\$25	C

ILPC Font Option

Standard Font Set <i>(see spec sheet)</i>	\$0	0
ILPC - CG Times Font Family - unlock	\$0	A
Kanji Gothic B Font	\$0	K
Simplified Chinese Font	\$0	N
Korean Hangul Font	\$0	V

Command Language Compatibility

DPL <i>(standard)</i>	\$0	0
PL-Z Emulation	\$0	1
PL-I Emulation	\$0	2
PL-B Emulation	\$0	3

Interface Options

8MB FLASH, Serial, Parallel, & USB	\$0	8
8MB FLASH, Serial, Parallel, RTC & USB	\$75	G
8MB FLASH, Serial, Parallel, RTC, USB & LAN	\$145	H
8MB FLASH, Serial, Parallel, RTC, USB, LAN & Wireless B/G	\$245	Q

Not Used

No Option <i>(standard)</i>	\$0	0
-----------------------------	-----	---

Misc. Options

No Option <i>(standard)</i>	\$0	0
Light-Duty Cutter (5mil) <i>(can not be used with a present sensor)</i>	\$200	T

E-Class Mark II

Options

Part#	Description	USD
OPT78-2340-01	Thermal Transfer Upgrade Kit	\$75.00
OPT78-2313-01	Present Sensor Kit (downward looking)	\$160.00
OPT78-2451-01	Present Sensor Kit (upward looking)	\$45.00
OPT78-2399-01	Cutter, Light-Duty (5mil) w/board, Warm White	\$200.00
OPT78-2399-03	Cutter, Light-Duty (5mil) w/board, Cool Grey	\$200.00
DPO32-2300-01	DB9 RS232 Serial Data Cable	\$35.00
DPO32-2301-01	DB25 RS232 Serial Data Cable	\$35.00
DPO32-2380-01	Parallel Data Cable	\$25.00
DPO78-2370-01	External Media Supply (8" dia. max roll)	\$125.00
OPT78-2081-02	Battery Pack	\$450.00
OPT78-2278-01	DMX-100 External Ethernet Print Server	\$495.00
DPO78-2394-01	External Rewinder / Unrewinder DMXREW1 110 volt (up to 4.5" wide and 8" OD roll)*	\$495.00
DPO78-2394-02	External Rewinder / Unrewinder DMXREW1 220 volt (up to 4.5" wide and 8" OD roll)*	\$495.00

* Items do not qualify for standard contract discounts.

Ex2



Common Standard Features

Maximum Print Speed: 4 ips
Maximum Print Width: 4.12"
Printhead Density: 203 dpi

Bitmapped Fonts: 9
Serial/Parallel/USB connectivity
Media Viewing Window

RAM: 16MB
Flash Memory: 8MB
Direct Thermal

Ex2

Z - 00 - 0 0 0 0 0 0

USD

Printer Model

EX2, 203DPI DT, TEAR, 4MB Flash ROHS	\$495	31
EX2, 203DPI DT, TEAR, 8MB Flash ROHS	\$495	32
EX2, 203DPI DT, TEAR, 8MB Flash/LAN ROHS	\$640	33
EX2, 203DPI DT, PEEL, 4MB Flash ROHS	\$530	34
EX2, 203DPI DT, PEEL, 8MB Flash ROHS	\$530	35
EX2, 203DPI DT, PEEL, 8MB Flash/LAN ROHS	\$675	36

Custom Kit

Datamax Kit	\$0	00
-------------	-----	----

Not Used

Do Not Include This Option	\$0	0
----------------------------	-----	---

A/C Power Transformer Configuration and Cord

No Power Cord Supplied	\$0	0
Autoranging Power Supply With South Africa Plug	\$0	B
Autoranging Power Supply With Japanese Power Cord	\$0	D
Autoranging Power Supply With British & European Power Cords	\$0	E
Autoranging Power Supply With Israel Plug	\$0	G
Autoranging Power Supply	\$0	H
Autoranging Power Supply With Us Power Cord	\$0	J
Autoranging Power Supply With British Power Cord	\$0	K
Autoranging Power Supply With European Power Cord	\$0	L
Autoranging Power Supply With Swiss Power Cord	\$0	M
Autoranging Power Supply With Chinese Power Cord	\$0	S
Autoranging Power Supply With Australian Power Cord	\$0	T
Autoranging Power Supply With Italian Power Cord	\$0	V

Not Used

Do Not Include This Option	\$0	0
----------------------------	-----	---

ILPC Font Option

Do Not Include This Option	\$0	0
PL-Z Emulation	\$0	1
PL-I Emulation	\$0	2
PL-B Emulation	\$0	3
ILPC - CG Times Font Family - unlock	\$0	B
Kanji Gothic B Font (requires Printer Model Z32, Z33,Z35, or Z36)	\$0	H
Simplified Chinese Font (requires Printer Model Z32, Z33,Z35, or Z36)	\$0	N
Korean Hangul Font	\$0	V
PL-Z Emulation and Kanji Font (requires Printer Model Z32, Z33,Z35, or Z36)	\$0	P
PL-Z Emulation and Chinese Font (requires Printer Model Z32, Z33,Z35, or Z36)	\$0	Q

Not Used

Do Not Include This Option	\$0	0
----------------------------	-----	---

Not Used

Do Not Include This Option	\$0	0
----------------------------	-----	---

Not Used

Do Not Include This Option	\$0	0
----------------------------	-----	---

Misc. Options

Do Not Include This Option	\$0	0
Kit: Clamp, Flat Cable	\$0	U

Ex2

Common Options

Part#	Description	USD
DPO78-2300-01	DB9 RS232 Serial Data Cable	\$35.00
DPO32-2301-01	DB25 RS232 Serial Data Cable	\$35.00
DPO32-2380-01	Parallel Data Cable	\$25.00
DPO32-2502-01	USB Data Cable	\$25.00
DPO78-2675-01	Cable Clamp	\$5.00
DPO78-2370-01	External Media Supply (8" dia. max roll)	\$125.00
DPO78-2081-02	Battery Pack (this option is not RoHS compliant)	\$450.00

A-Class Mark II



Common Standard Features

RAM: 16MB

Flash Memory: 8MB

Serial/Parallel/Ethernet/USB connectivity

Bitmapped Fonts: 9

Scalable Fonts: 3

Microprocessor:32 bit:200MHz

Media Viewing Window

Real Time Clock

A-4212

Maximum Print Speed: 12 ips

Maximum Print Width: 4.09"

Printhead Density: 203 dpi

240 X 320 LCD Display

A-4310

Maximum Print Speed: 10 ips

Maximum Print Width: 4.16"

Printhead Density: 300 dpi

240 X 320 LCD Display

A-4408

Maximum Print Speed: 8 ips

Maximum Print Width: 4.09"

Printhead Density: 400 dpi

240 X 320 LCD Display

A-4606

Maximum Print Speed: 6 ips

Maximum Print Width: 4.09"

Printhead Density: 600 dpi

240 X 320 LCD Display

A-6212

Maximum Print Speed: 12 ips

Maximum Print Width: 4.09"

Printhead Density: 203 dpi

240 X 320 LCD Display

A-6310

Maximum Print Speed: 10 ips

Maximum Print Width: 4.09"

Printhead Density: 300 dpi

240 X 320 LCD Display

A-4212, A-4310, A-4408, & A-4606

Please refer to your supplier for Printer Model pricing

USD

L		-		-																
---	--	---	--	---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Printer Model

Right Hand, A-4212E 8MB FLASH	A2
Right Hand, A-4310E 8MB FLASH	A3
Right Hand, A-4408E 8MB FLASH	A4
Right Hand, A-4606E 8MB FLASH	A6
Left Hand, A-4212E 8MB FLASH	B2
Left Hand, A-4310E 8MB FLASH	B3
Left Hand, A-4408E 8MB FLASH	B4
Left Hand, A-4606E 8MB FLASH	B6

Custom Kit

Datamax Standard Kit	\$0	00
China Kit	\$0	07

Direct Thermal/Thermal Transfer

Direct Thermal	\$0	0
Bi-Directional Thermal Transfer	\$100	4

A/C Power (Aurorange Supply) Configuration and Cord

No Power Cord Supplied	\$0	0
220v: Black Power Cord With Straight-In European Plug	\$0	3
220v: Black Power Cord With 90 Deg British Plug	\$0	4
220v: Black Power Cords, British And European	\$0	6
100v: Black Power Cord With Japanese Plug	\$0	7
110v: Black Power Cord With U.S. Plug	\$0	8
220v: Black Power Cord With South Africa Plug	\$0	9
220v: Black Power Cord With Straight-In Swiss Plug	\$0	F
220v: Black Power Cord With Straight-In Australian Plug	\$0	N
220v: Black Power Cord With Straight-In Italian Plug	\$0	P
220v: Black Power Cord With Israel Plug	\$0	U
220v: Black Power Cord With Straight-In Argentinean Plug	\$0	W
220v: Black Power Cord With Straight-In Chinese Plug	\$0	Y

Not Used

Do not Include this Option	\$0	0
----------------------------	-----	---

Cutter / Ribbon Saver / Top Pinch Roller Option

Do Not Include This Option	\$0	0
Cutter Option	\$1,495	4
Top Pinch Roller Option	\$225	5
Ribbon Saver and Top Pinch Roller Option	\$1,025	C
Top Pinch Roller and Cutter Option	\$1,720	D
Ribbon Saver, Top Pinch Roller, and Cutter Option	\$2,520	E

Font Expansion Option

Do Not Include This Option	\$0	0
Kanji Gothic B	\$0	H
Simplified Chinese	\$0	N
Korean Hangul Font	\$0	V
PL-Z Emulation	\$0	1
PL-I Emulation	\$0	2

Interface Options

Do Not Include This Option	\$0	0
DMXrNet II Wireless B/G & USB/SDIO Option	\$695	J
USB & SDIO Option	\$100	E
DMXrNet II Wireless B/G Option	\$595	S

Not Used

Do Not Include This Option	\$0	0
----------------------------	-----	---

Misc. Options

Do Not Include This Option	\$0	0
Remote Display Option	\$600	F
Remote Display "Ready" Option	\$400	G
Cover Open Sensor	\$200	V
Remote Display Option & Cover Open Sensor	\$800	X
Remote Display "Ready" Option & Cover Open Sensor	\$600	Z

A-Class Mark II

Common Options

Part#	Description	USD
-----	MCL (see separate Datamax MCL price list)	N/A
DPO78-2660-02	Kanji Gothic Font Kit	\$0.00
DPO78-2660-03	Simplified Chinese Font Kit	\$0.00
DPO78-2660-04	Korean Hangeul Font Kit	\$0.00
OPT78-2657-12	DMXrfNet II Internal 802.11b/g WiFi Card	\$595.00
OPT78-2807-02	Remote Display (for "remote display ready" equipped models only)	\$200.00

MP Compact 4 Mark II

MP Compact 4 Mobile Mark II

MP Nova



MP Compact4 Mark II Standard Features

- Print Speed: 5IPS
- Resolution: 200 or 300 DPI
- Max. Print Width: 4.10"
- Labelpoint or DPL Firmware
- SRAM: 512K
- DRAM: 8MB
- Flash: 4MB
- Serial/Ethernet/USB connectivity
- Wireless Ethernet Option
- Real Time Clock
- 10 Resident Fonts
- Supports 3.9" (100mm) O.D. Label Roll

MP Compact4 Mobile Mark II Standard Features

- Print Speed: 5IPS
- Resolution: 200 or 300 DPI
- Max. Print Width: 4.10"
- Labelpoint or DPL Firmware
- SRAM: 512K
- DRAM: 8MB
- Flash: 4MB
- Serial/Ethernet/USB connectivity
- Wireless Ethernet Option
- Real Time Clock
- 10 Resident Fonts
- Supports 3.9" (100mm) O.D. Label Roll

MP Nova Standard Features

- Print Speed Range: 6 to 10 IPS
- Resolution: 200 or 300 DPI
- Print Width Range: 4.1" or 6.6"
- Labelpoint Firmware
- SRAM: 512K
- DRAM: 8MB
- Flash: 4MB
- Serial/Ethernet/USB connectivity
- Real Time Clock
- 10 Resident Fonts

MP Compact4 Mark II

X - 00 - - - - - 0

USD

Printer Model

MP Compact4 200 DPI	\$1,945	A1
MP Compact4 300 DPI	\$2,245	A2
MP Compact4 200 DPI WIRELESS	\$2,515	A3
MP Compact4 300 DPI WIRELESS	\$2,775	A4
MP Compact4 200 DPI W/150mm Label Roll Support	\$2,025	A5
MP Compact4 300 DPI W/150mm Label Roll Support	\$2,280	A6
MP Compact4 200 DPI WIRELESS W/150mm Label Roll Support	\$2,600	A7
MP Compact4 300 DPI WIRELESS W/150mm Label Roll Support	\$2,850	A8
MP Compact4 200 DPI W/PEEL-OFF KIT	\$2,200	A9
MP Compact4 200 DPI WIRELESS W/PEEL-OFF KIT	\$2,775	B0
MP Compact4 200 DPI W/LTS KIT	\$2,060	B1
MP Compact4 200 DPI WIRELESS W/LTS KIT	\$2,635	B2
MP Compact4 200 DPI W/CUTTER	\$2,800	B3
MP Compact4 300 DPI W/CUTTER	\$3,060	B4
MP Compact4 200 DPI WIRELESS W/CUTTER	\$3,375	B5
MP Compact4 300 DPI WIRELESS W/CUTTER	\$3,635	B6
MP Compact4 200 DPI W/LTS KIT & 150mm Label Roll Support	\$2,285	B7
MP Compact4 200 DPI WIRELESS W/LABELROLL & LTS	\$2,855	B8
MP Compact4 200 DPI W/PEELOFF & LTS KIT	\$2,280	B9
MP Compact4 300 DPI W/PEELOFF & LTS KIT	\$2,550	C0
MP Compact4 200 DPI WIRELESS W/PEELOFF & LTS KIT	\$2,850	C1
MP Compact4 300 DPI WIRELESS W/PEELOFF & LTS KIT	\$3,115	C2
MP Compact4 200 DPI W/CUTTER & 150mm Label Roll Support	\$3,065	C3
MP Compact4 200 DPI WIRELESS W/CUTTER & /150mm Label Roll Support	\$3,600	C4

Custom Kit

MP Compact4 Kit	\$0	00
-----------------	-----	----

Not Used

Do Not Include This Option	\$0	0
----------------------------	-----	---

A/C Power (Aurorange Supply) Configuration and Cord

No Power Cord Supplied	\$0	0
Power Cord with European Plug	\$0	3
Power Cord with British Plug	\$0	4
Power Cord with U.S. & Canada Plug	\$0	8
Power Cord with Swiss Plug	\$0	F
Power Cord with Denmark Plug	\$0	W

Not Used

Do Not Include This Option	\$0	0
----------------------------	-----	---

Not Used

Do Not Include This Option	\$0	0
----------------------------	-----	---

Command Language Compatibility

Label Point w/o emulation (Standard)	\$0	0
DPL w/ PLZ emulation	\$0	1
DPL w/ PLI emulation	\$0	2
DPL w/ PLB emulation	\$0	3
DPL w/o emulation	\$0	4

Interface Options

Do Not Include This Option	\$0	0
Parallel to Serial Cable	\$245	6
USB Cable	\$22	U

Not Used

Do Not Include This Option	\$0	0
----------------------------	-----	---

Misc. Options

Do Not Include This Option	\$0	0
Wall-Mount Kit (not available with Peel-Off option)	\$95	B

MP Compact4 Mobile Mark II

	USD	X	00						0
Printer Model									
MP Compact4 Mobile 200 DPI	\$2,850								
MP Compact4 Mobile 300 DPI	\$3,150								
MP Compact4 Mobile 200 DPI WIRELESS	\$3,425								
MP Compact4 Mobile 300 DPI WIRELESS	\$3,685								
MP Compact4 Mobile 200 DPI W/PEEL-OFF KIT	\$3,115								
MP Compact4 Mobile 200 DPI WIRELESS W/PEEL-OFF KIT	\$3,685								
MP Compact4 Mobile 200 DPI W/LTS KIT	\$3,115								
MP Compact4 Mobile 200 DPI WIRELESS W/LTS KIT	\$3,685								
MP Compact4 Mobile 200 DPI W/PEELOFF & LTS	\$3,115								
MP Compact4 Mobile 200 DPI WIRELESS W/PEELOFF & LTS	\$3,685								
Custom Kit									
MP Compact4 Mobile Kit	\$0		00						
Not Used									
Do Not Include This Option	\$0								0
A/C Power (Aurorange Supply) Configuration and Cord									
DC Power Cable	\$0								7
Not Used									
Do Not Include This Option	\$0								0
Not Used									
Do Not Include This Option	\$0								0
Command Language Compatibility									
Label Point w/o emulation (Standard)	\$0								0
DPL w/ PLZ emulation	\$0								1
DPL w/ PLI emulation	\$0								2
DPL w/ PLB emulation	\$0								3
DPL w/o emulation	\$0								4
Interface Options									
Do Not Include This Option	\$0								0
Parallel to Serial Cable	\$245								6
USB Cable	\$22								U
Not Used									
Do Not Include This Option	\$0								0
Misc. Options									
Do Not Include This Option	\$0								0

MP Nova 4, 6, & 8

	X	-	00	-						0	
	USD										
Printer Model											
MP NOVA 4 DT 200 Printer Kit											
MP NOVA 4 TT 200 Printer Kit											
MP NOVA 4 DT 300 Printer Kit											
MP NOVA 4 TT 300 Printer Kit											
MP NOVA 4 DT 200 PRT W/Peel-Off Kit & LTS											
MP NOVA 4 TT 200 PRT W/Peel-Off											
MP NOVA 4 TT 300 PRT W/Peel-Off											
MP NOVA 4 DT 200 PRT W/215mm Kit											
MP NOVA 4 DT 200 PRT W/Big Roll P-O & LTS											
MP NOVA 4 TT 200 PRT W/Big Roll P-O & LTS											
MP NOVA 4 TT 200 PRT W/P-O & LTS											
MP NOVA 4 TT 300 PRT W/P-O & 215mm											
MP NOVA 6 DT 200 Printer Kit											
MP NOVA 6 TT 200 Printer Kit											
MP NOVA 6 TT 200 PRT W/215MM Kit											
MP NOVA 6 TT 200 PRT W/Peel-Off											
MP NOVA 6 DT 200 PRT W/Peel-Off Kit & LTS											
MP NOVA 6 TT 200 PRT W/Peel-Off & LTS											
MP NOVA 8 DT 200 Printer Kit											
Custom Kit											
Nova 4 Kit											
Nova 6 Kit											
Not Used											
Do Not Include This Option											
A/C Power (Autorange Supply) Configuration and Cord											
No Power Cord Supplied											
Power Cord with European Plug											
Power Cord with British Plug											
Power Cord with U.S. & Canada Plug											
Not Used											
Do Not Include This Option											
Not Used											
Do Not Include This Option											
Not Used											
Do Not Include This Option											
Interface Options											
Do Not Include This Option											
Parallel to Serial Cable											
Daisy-Chain Cable											
USB Cable											
Not Used											
Do Not Include This Option											
Misc. Options											
Do Not Include This Option											

MP-Series

MP Compact4 Mark II Options

Part#	Description	USD
540707	Parallel to Serial Converter Cable	\$245.00
000554	Cable Mains EU Black	\$15.00
001463	Cable Mains USA/Canada Black	\$15.00
001464	Cable Mains UK Black	\$22.00
100146	Cable Mains Swiss Black	\$15.00
100147	Cable Mains Denmark Black	\$35.00
100148	Cable Mains Oceanic Black	\$15.00
100149	Cable Mains China Black	\$15.00
502543	USB-Cable Compact Nova	\$22.00
532546	Tower mounting Kit	\$140.00
532575	Wall-mount Kit-Compact	\$95.00

MP Compact4 Mobile Mark II Options

Part#	Description	USD
501139	DC Power Cable	\$24.00
540707	Parallel to Serial Converter Cable	\$245.00
502543	USB-Cable Compact Nova	\$22.00

MP Nova Options

Part#	Description	USD
000554	Cable Mains EU Black	\$15.00
001463	Cable Mains USA/Canada Black	\$15.00
001464	Cable Mains UK Black	\$22.00
502543	USB-Cable Compact Nova	\$22.00
502631	Daisy Chain Cable Compact Nova	\$50.00

M-Class Mark II *R-Series*



Common Standard Features

RAM: 16MB
Flash Memory: 8MB
Serial/Parallel/USB connectivity

Bitmapped Fonts: 9
Scalable Fonts: 3
Three Media Hub Configurations

Media Viewing Window
Real Time Clock

M-4210

Maximum Print Speed: 10 ips
Maximum Print Width: 4.25"

Printhead Density: 203 dpi
3 Button or LCD Display

M-4308

Maximum Print Speed: 8 ips
Maximum Print Width: 4.25"

Printhead Density: 300 dpi
3 Button or LCD Display

M-4210 & M-4308

K - - - - - 0

USD

Printer Model	USD	
M-4210 8MB Flash w/Graphic Display	\$1,295	J2
M-4210 8MB Flash w/3 Button	\$1,495	K2
M-4210 8MB Flash, 64M Storage w/Graphic Display	\$1,695	L2
M-4210 8MB Flash, 64M Storage w/3 Button	\$1,695	M2
M-4308 8MB Flash w/Graphic Display	\$1,595	A3
M-4308 8MB Flash w/3 Button	\$1,695	B3
M-4308 8MB Flash, 64M Storage w/Graphic Display	\$1,895	C3
M-4308 8MB Flash, 64M Storage w/3 Button	\$1,895	D3
Custom Kit		
Datamax RFID HF Kit	\$0	J2
Datamax RFID MP FCC/IC Kit (For Use In U.S. And Canada)	\$0	L1
Datamax RFID MP 302 - 208 Kit (For Use In Germany, Denmark, Finland, Iceland, Switzerland, Cyprus, United Kingdom, Malta, & Sebria)	\$0	L2
Datamax RFID MP I-Band Kit (For Use In France,Bulgaria, Slovenia, Poland, Lithuania, Estonia, Czech, Republic, Luxembourg, Greece, Netherlands, Ireland, Belgium, Hungary, Italy, Norway, Portugal, Spain, & Sweden)	\$0	L3
Datamax RFID MP K-Band Kit (For Use In Slovak Republic)	\$0	L4
Datamax RFID MP Kit (For Use In Australia, Hong Kong, Thailand, & Singapore)	\$0	L5
Datamax RFID MP Kit (For Use In New Zealand)	\$0	L6
Datamax RFID MP Kit (For Use In Israel)	\$0	L7
Datamax RFID MP Kit Japan Kit	\$0	L8
Datamax RFID MP Kit Korea Kit	\$0	L9
Datamax RFID MP Kit India Kit	\$0	R1
Datamax RFID MP Kit Taiwan Kit	\$0	R2
Direct Thermal/Thermal Transfer		
Direct Thermal	\$0	0
Bi-Directional Thermal Transfer	\$100	4
A/C Power (Aurorange Supply) Configuration and Cord		
No Power Cord Supplied	\$0	0
220v: Black Power Cord With Straight-In European Plug	\$0	3
220v: Black Power Cord With 90 Deg British Plug	\$0	4
220v: Black Power Cords, British And European	\$0	6
100v: Black Power Cord With Japanese Plug	\$0	7
110v: Black Power Cord With U.S. Plug	\$0	8
220v: Black Power Cord With South Africa Plug	\$0	9
220v: Black Power Cord With Straight-In Swiss Plug	\$0	F
220v: Black Power Cord With Straight-In Australian Plug	\$0	N
220v: Black Power Cord With Straight-In Italian Plug	\$0	P
220v: Black Power Cord With Israel Plug	\$0	U
220v: Black Power Cord With Straight-In Argentinean Plug	\$0	W
220v: Black Power Cord With Straight-In Chinese Plug	\$0	Y
Peel & Present and Internal Rewind Option		
No Internal Rewinder	\$0	0
Present Sensor and No Internal Rewinder	\$95	1
Internal Rewinder	\$200	4
Present Sensor and Internal Rewinder	\$225	6
Cast Peel & Present Option and Internal Rewind	\$375	9
Cutter Option		
Do Not Include This Option	\$0	0
Standard Cutter (10mil)	\$495	4
Font Expansion Option		
Do Not Include This Option	\$0	0
PL-Z Emulation	\$0	1
PL-I Emulation	\$0	2
Kanji Gothic B Font	\$0	H
Simplified Chinese Font	\$0	N
Korean Hangul Font	\$0	V
PL-Z Emulation and Kanji Font	\$0	P
PL-Z Emulation and Chinese Font	\$0	Q
Interface Options		
Do Not Include This Option	\$0	0
Internal LAN & Wireless B/G & USB Host Option	\$550	3
Internal LAN Option	\$175	Y
Internal LAN & Wireless B/G	\$450	S
Internal LAN & USB Host Option	\$250	V
USB Host	\$175	U
Scanner/RFID Option		
RFID HF (for J2 kit only)	\$955	R
RFID UHF	\$1,500	V
Misc. Options		
Fixed Media Hanger	\$0	0
40mm Media Hub	\$0	6
3.0" Media Hub	\$0	7

M-Class Mark II R-Series

Common Options

Part#	Description	USD
-----	MCL (see separate Datamax MCL price list) (M4210 & M-4308 only)	N/A
OPT78-2697-01	Thermal Transfer Option (CSI/CSO)	\$100.00
OPT78-2737-01	Peel Mechanism and Present Sensor – recommend use with IR	\$175.00
OPT78-2482-02	Peel Mechanism and Present Sensor – recommend use with IR (M-4308 only)	\$175.00
OPT78-2735-02	Internal Rewind	\$200.00
OPT78-2736-01	Present Sensor Only Option	\$95.00
OPT78-2738-01	Standard Cutter Kit for 10 mil stock	\$495.00
DPO78-2300-01	DB9 RS232 Serial Data Cable	\$35.00
DPO32-2301-01	DB25 RS232 Serial Data Cable	\$35.00
OPT78-2724-02	DMXNet II LAN and USB Host Card	\$250.00
OPT78-2724-03	DMXNet II LAN Card	\$175.00
OPT78-2724-04	USB Host Card	\$150.00
OPT78-2724-11	DMXNet II 802.11b/g Wireless, LAN, and USB Card	\$550.00
OPT78-2724-15	DMXNet II 802.11b/g Wireless and LAN Card	\$450.00
DPO78-2394-01	External Rewinder / Unrewinder DMXREW1 110 volt (up to 4.5" wide and 8" OD roll)*	\$495.00
DPO78-2394-02	External Rewinder / Unrewinder DMXREW1 220 volt (up to 4.5" wide and 8" OD roll)*	\$495.00

* Items do not qualify for standard contract discounts.

H-Class R-Series



Common Standard Features

RAM: 16MB	Bitmapped Fonts: 9	Microprocessor:32 bit:200MHz
Flash Memory: 8MB	Scalable Fonts: 3	Media Viewing Window
Serial/Parallel/Ethernet/USB connectivity	Revolving Media Hub 3"	Real Time Clock

H-4212

Maximum Print Speed: 12 ips	Printhead Density: 203 dpi
Maximum Print Width: 4.09"	128 X 64 LCD Display

H-4310

Maximum Print Speed: 12 ips	Printhead Density: 300 dpi
Maximum Print Width: 4.16"	128 X 64 LCD Display

H-4408

Maximum Print Speed: 12 ips	Printhead Density: 400 dpi
Maximum Print Width: 4.09"	128 X 64 LCD Display

H-4606

Maximum Print Speed: 12 ips	Printhead Density: 600 dpi
Maximum Print Width: 4.09"	128 X 64 LCD Display

H-6210

Maximum Print Speed: 12 ips	Printhead Density: 203 dpi
Maximum Print Width: 6.40"	128 X 64 LCD Display

H-6308

Maximum Print Speed: 12 ips	Printhead Density: 300 dpi
Maximum Print Width: 6.61"	128 X 64 LCD Display

H-6210 & H-6308

C - - - - - 4

USD

Printer Model

H-6210 8MB Flash Printer w/Short Display	\$3,195	72
H-6210 8MB Flash Printer w/Tall Display	\$3,395	82
H-6308 8MB Flash Printer w/Short Display	\$3,495	73
H-6308 8MB Flash Printer w/Tall Display	\$3,695	93

Custom Kit

Datamax RFID HF Kit	\$0	J2
Datamax RFID MP FCC/IC Kit (For Use In U.S. And Canada)	\$0	L1
Datamax RFID MP 302 - 208 Kit (For Use In Germany, Denmark, Finland, Iceland, Switzerland, Cyprus, United Kingdom, Malta, & Sebria)	\$0	L2
Datamax RFID MP I-Band Kit (For Use In France,Bulgaria, Slovenia, Poland, Lithuania, Estonia, Czech, Republic, Luxembourg, Greece, Netherlands, Ireland, Belgium, Hungary, Italy, Norway, Portugal, Spain, & Sweden)	\$0	L3
Datamax RFID MP K-Band Kit (For Use In Slovak Republic)	\$0	L4
Datamax RFID MP Kit (For Use In Australia, Hong Kong, Thailand, & Singapore)	\$0	L5
Datamax RFID MP Kit (For Use In New Zealand)	\$0	L6
Datamax RFID MP Kit (For Use In Israel)	\$0	L7
Datamax RFID MP Kit Japan Kit	\$0	L8
Datamax RFID MP Kit Korea Kit	\$0	L9
Datamax RFID MP Kit India Kit	\$0	R1
Datamax RFID MP Kit Taiwan Kit	\$0	R2

Direct Thermal/Thermal Transfer

Direct Thermal	\$0	0
Bi-Directional Thermal Transfer	\$100	4

A/C Power (Aurorange Supply) Configuration and Cord

No Power Cord Supplied	\$0	0
220v: Black Power Cord With Straight-In European Plug	\$0	3
220v: Black Power Cord With 90 Deg British Plug	\$0	4
220v: Black Power Cords, British And European	\$0	6
100v: Black Power Cord With Japanese Plug	\$0	7
110v: Black Power Cord With U.S. Plug	\$0	8
220v: Black Power Cord With South Africa Plug	\$0	9
220v: Black Power Cord With Straight-In Swiss Plug	\$0	F
220v: Black Power Cord With Straight-In Australian Plug	\$0	N
220v: Black Power Cord With Straight-In Italian Plug	\$0	P
220v: Black Power Cord With Israel Plug	\$0	U
220v: Black Power Cord With Straight-In Argentinean Plug	\$0	W
220v: Black Power Cord With Straight-In Chinese Plug	\$0	Y

Peel & Present and Internal Rewind Option

No Internal Rewinder	\$0	0
Present Sensor and No Internal Rewinder	\$95	1
Internal Rewinder	\$225	4
Present Sensor and Internal Rewinder	\$320	6
Basic Peel & Internal Rewind	\$325	E

Cutter Option

Do Not Include This Option	\$0	0
Standard Cutter	\$795	4

Font Expansion Option

Do Not Include This Option	\$0	0
PL-Z Emulation	\$0	1
PL-I Emulation	\$0	2
Kanji Gothic B Font	\$0	H
Simplified Chinese Font	\$0	N
Korean Hangul Font	\$0	V
PL-Z Emulation and Kanji Font	\$0	P
PL-Z Emulation and Chinese Font	\$0	Q

Interface Options

Do Not Include This Option	\$0	0
Applicator Card Kit	\$395	P
Applicator Card & USB/SDIO Option	\$495	F
Applicator Card & Wireless B/G Option	\$990	K
Applicator Card, Wireless B/G Option & USB/SDIO	\$1,090	M
Internal LAN & Wireless B/G & USB/SDIO Option	\$695	J
USB & SDIO Option	\$100	E
Wireless B/G Option	\$595	S

Scanner/RFID Option

RFID HF (for J2 kit only)	\$955	R
RFID UHF	\$1,500	V

Misc. Options

3.0" Plastic Media Hub	\$0	4
------------------------	-----	---

H-Class R-Series

Common Options

Part#	Description	USD
-----	MCL (see separate Datamax MCL price list)	N/A
DPR78-2694-02	Large Display (320 X 240)	\$200.00
DPR78-2622-02	SDIO/USB Option	\$100.00
OPT78-2619-01	Present Sensor	\$95.00
OPT78-2649-01	GPIO Applicator Interface Card	\$395.00
DPO32-2603-01	GPIO RJ-45 to DB9 Serial Adapter Cable	\$35.00
OPT78-2657-12	DMXrfNet II Internal 802.11b/g WiFi Card	\$595.00
DPO78-2394-01	External Rewinder / Unrewinder DMXREW1 110 volt (up to 4.5" wide and 8" OD roll)*	\$495.00
DPO78-2394-02	External Rewinder / Unrewinder DMXREW1 220 volt (up to 4.5" wide and 8" OD roll)*	\$495.00
DPO78-2393-01	External Rewinder / Unrewinder DMXREW2 110 volt (up to 10" wide and 12" OD roll)*	\$895.00
DPO78-2393-02	External Rewinder / Unrewinder DMXREW2 220 volt (up to 10" wide and 12" OD roll)*	\$895.00

* Items do not qualify for standard contract discounts.

4" Model Options

Part#	Description	USD
OPT78-2613-04	Plastic Thermal Transfer Option (Coated side in/Coated side out)	\$100.00
OPT78-2617-01	HD Peel Mechanism and Present Sensor – requires Internal Rewinder	\$195.00
OPT78-2655-01	Basic Peel and Present Sensor – requires Internal Rewinder Mechanism	\$100.00
OPT78-2615-01	Internal Rewinder	\$200.00
DPR78-2629-01	Linear Barcode Scanner	\$1,395.00
OPT78-2618-01	Standard Cutter Kit for 10 mil stock	\$695.00

6" Model Options

Part#	Description	USD
OPT78-2613-11	Metal Thermal Transfer Option (Coated side in/Coated side out)	\$100.00
OPT78-2655-11	Basic Peel and Present Sensor – requires Internal Rewinder Mechanism	\$100.00
OPT78-2615-11	Internal Rewinder	\$225.00
DPR78-2629-11	Linear Barcode Scanner	\$1,395.00
OPT78-2618-11	Standard Cutter Kit for 10 mil stock	\$795.00

H-Class R-Series

"X" models



Common Standard Features

RAM: 16MB

Flash Memory: 8MB

Serial/Parallel/Ethernet/USB connectivity

2 USB Host Ports/ SDIO Slot

Bitmapped Fonts: 9

Scalable Fonts: 3

Revolving Media Hub 3"

Microprocessor:32 bit:200MHz

Media Viewing Window

Real Time Clock

H-4212X

Maximum Print Speed: 12 ips

Maximum Print Width: 4.10"

Printhead Density: 203 dpi

240 X 320 LCD Display

H-4310X

Maximum Print Speed: 10 ips

Maximum Print Width: 4.16"

Printhead Density: 300 dpi

240 X 320 LCD Display

H-4606X

Maximum Print Speed: 6 ips

Maximum Print Width: 4.16"

Printhead Density: 600 dpi

240 X 320 LCD Display

H-6212X

Maximum Print Speed: 12 ips

Maximum Print Width: 6.61"

Printhead Density: 203 dpi

240 X 320 LCD Display

H-6310X

Maximum Print Speed: 10 ips

Maximum Print Width: 6.40"

Printhead Density: 300 dpi

240 X 320 LCD Display

H-4212X, H-4310X & H-4606X

USD

Printer Model

H-4212X 8MB Flash Printer	\$2,595	32
H-4310X 8MB Flash Printer	\$2,795	33
H-4606X 8MB Flash Printer	\$4,795	46

Custom Kit

Datamax RFID HF Kit	\$0	J2
Datamax RFID MP FCC/IC Kit (For Use In U.S. And Canada)	\$0	L1
Datamax RFID MP 302 - 208 Kit (For Use In Germany, Denmark, Finland, Iceland, Switzerland, Cyprus, United Kingdom, Malta, & Sebría)	\$0	L2
Datamax RFID MP I-Band Kit (For Use In France, Bulgaria, Slovenia, Poland, Lithuania, Estonia, Czech, Republic, Luxembourg, Greece, Netherlands, Ireland, Belgium, Hungary, Italy, Norway, Portugal, Spain, & Sweden)	\$0	L3
Datamax RFID MP K-Band Kit (For Use In Slovak Republic)	\$0	L4
Datamax RFID MP Kit (For Use In Australia, Hong Kong, Thailand, & Singapore)	\$0	L5
Datamax RFID MP Kit (For Use In New Zealand)	\$0	L6
Datamax RFID MP Kit (For Use In Israel)	\$0	L7
Datamax RFID MP Kit Japan Kit	\$0	L8
Datamax RFID MP Kit Korea Kit	\$0	L9
Datamax RFID MP Kit India Kit	\$0	R1
Datamax RFID MP Kit Taiwan Kit	\$0	R2

Direct Thermal/Thermal Transfer

Direct Thermal	\$0	0
Bi-Directional Thermal Transfer	\$100	4

A/C Power (Aurorange Supply) Configuration and Cord

No Power Cord Supplied	\$0	0
220v: Black Power Cord With Straight-In European Plug	\$0	3
220v: Black Power Cord With 90 Deg British Plug	\$0	4
220v: Black Power Cords, British And European	\$0	6
100v: Black Power Cord With Japanese Plug	\$0	7
110v: Black Power Cord With U.S. Plug	\$0	8
220v: Black Power Cord With South Africa Plug	\$0	9
220v: Black Power Cord With Straight-In Swiss Plug	\$0	F
220v: Black Power Cord With Straight-In Australian Plug	\$0	N
220v: Black Power Cord With Straight-In Italian Plug	\$0	P
220v: Black Power Cord With Israel Plug	\$0	U
220v: Black Power Cord With Straight-In Argentinean Plug	\$0	W
220v: Black Power Cord With Straight-In Chinese Plug	\$0	Y

Peel & Present and Internal Rewind Option

No Internal Rewinder	\$0	0
Present Sensor and No Internal Rewinder	\$95	1
Internal Rewinder	\$325	4
Present Sensor and Internal Rewinder	\$420	6
Cast Peel & Present Option and Internal Rewind	\$520	9
Basic Peel & Internal Rewind	\$425	E

Cutter Option

Do Not Include This Option	\$0	0
Standard Cutter	\$695	4

Font Expansion Option

Do Not Include This Option	\$0	0
PL-Z Emulation	\$0	1
PL-I Emulation	\$0	2
Kanji Gothic B Font	\$0	H
Simplified Chinese Font	\$0	N
Korean Hangul Font	\$0	V
PL-Z Emulation and Kanji Font	\$0	P
PL-Z Emulation and Chinese Font	\$0	Q

Interface Options

Do Not Include This Option	\$0	0
Applicator Card Kit	\$395	P
Applicator Card & Wireless B/G Option	\$990	K
Wireless B/G	\$595	S

Scanner/RFID Option

RFID HF (for J2 kit only)	\$955	R
RFID UHF	\$1,500	V

Misc. Options

3.0" Plastic Media Hub	\$0	4
40mm Media Hub	\$15	6

H-6212X & H-6310X

C - - - - - 4

USD

Printer Model

H-6212X 8MB Flash Printer	\$3,695	62
H-6310X 8MB Flash Printer	\$3,995	63

Custom Kit

Datamax RFID HF Kit	\$0	J2
Datamax RFID MP FCC/IC Kit (For Use In U.S. And Canada)	\$0	L1
Datamax RFID MP 302 - 208 Kit (For Use In Germany, Denmark, Finland, Iceland, Switzerland, Cyprus, United Kingdom, Malta, & Sebria)	\$0	L2
Datamax RFID MP I-Band Kit (For Use In France,Bulgaria, Slovenia, Poland, Lithuania, Estonia, Czech, Republic, Luxembourg, Greece, Netherlands, Ireland, Belgium, Hungary, Italy, Norway, Portuqugal, Spain, & Sweden)	\$0	L3
Datamax RFID MP K-Band Kit (For Use In Slovak Republic)	\$0	L4
Datamax RFID MP Kit (For Use In Australia, Hong Kong, Thailand, & Singapore)	\$0	L5
Datamax RFID MP Kit (For Use In New Zealand)	\$0	L6
Datamax RFID MP Kit (For Use In Israel)	\$0	L7
Datamax RFID MP Kit Japan Kit	\$0	L8
Datamax RFID MP Kit Korea Kit	\$0	L9
Datamax RFID MP Kit India Kit	\$0	R1
Datamax RFID MP Kit Taiwan Kit	\$0	R2

Direct Thermal/Thermal Transfer

Direct Thermal	\$0	0
Bi-Directional Thermal Transfer	\$100	4

A/C Power (Autorange Supply) Configuration and Cord

No Power Cord Supplied	\$0	0
220v: Black Power Cord With Straight-In European Plug	\$0	3
220v: Black Power Cord With 90 Deg British Plug	\$0	4
220v: Black Power Cords, British And European	\$0	6
100v: Black Power Cord With Japanese Plug	\$0	7
110v: Black Power Cord With U.S. Plug	\$0	8
220v: Black Power Cord With South Africa Plug	\$0	9
220v: Black Power Cord With Straight-In Swiss Plug	\$0	F
220v: Black Power Cord With Straight-In Australian Plug	\$0	N
220v: Black Power Cord With Straight-In Italian Plug	\$0	P
220v: Black Power Cord With Israel Plug	\$0	U
220v: Black Power Cord With Straight-In Argentinean Plug	\$0	W
220v: Black Power Cord With Straight-In Chinese Plug	\$0	Y

Peel & Present and Internal Rewind Option

No Internal Rewinder	\$0	0
Present Sensor and No Internal Rewinder	\$95	1
Internal Rewinder	\$225	4
Present Sensor and Internal Rewinder	\$320	6
Basic Peel & Internal Rewind	\$325	E

Cutter Option

Do Not Include This Option	\$0	0
Standard Cutter	\$795	4

Font Expansion Option

Do Not Include This Option	\$0	0
PL-Z Emulation	\$0	1
PL-I Emulation	\$0	2
Kanji Gothic B Font	\$0	H
Simplified Chinese Font	\$0	N
Korean Hangul Font	\$0	V
PL-Z Emulation and Kanji Font	\$0	P
PL-Z Emulation and Chinese Font	\$0	Q

Interface Options

Do Not Include This Option	\$0	0
Applicator Card Kit	\$395	P
Applicator Card & USB/SDIO Option	\$495	F
Applicator Card & Wireless B/G Option	\$990	K

Scanner/RFID Option

RFID HF (for J2 kit only)	\$955	R
RFID UHF	\$1,500	V

Misc. Options

3.0" Plastic Media Hub	\$0	4
------------------------	-----	---

H-Class "X" R-Series

Common Options

Part#	Description	USD
-----	MCL (see separate Datamax MCL price list)	N/A
OPT78-2619-01	Present Sensor Option	\$95.00
OPT78-2649-01	GPIO Applicator Interface Card	\$395.00
DPO32-2603-01	GPIO RJ-45 to DB9 Serial Adapter Cable	\$35.00
OPT78-2657-12	DMXrfNet II Internal 802.11b/g WiFi Card	\$595.00
DPO78-2394-01	External Rewinder / Unrewinder DMXREW1 110 volt (up to 4.5" wide and 8" OD roll)*	\$495.00
DPO78-2394-02	External Rewinder / Unrewinder DMXREW1 220 volt (up to 4.5" wide and 8" OD roll)*	\$495.00
DPO78-2393-01	External Rewinder / Unrewinder DMXREW2 110 volt (up to 10" wide and 12" OD roll)*	\$895.00
DPO78-2393-02	External Rewinder / Unrewinder DMXREW2 220 volt (up to 10" wide and 12" OD roll)*	\$895.00

* Items do not qualify for standard contract discounts.

4" Model Options

Part#	Description	USD
OPT78-2613-04	Thermal Transfer Option (Coated side in/Coated side out)	\$100.00
OPT78-2627-01	Internal Rewinder (Powered)	\$325.00
OPT78-2655-01	Basic Peel and Present Sensor – requires Internal Rewinder Mechanism	\$100.00
OPT78-2617-01	HD Peel Mechanism and Present Sensor – requires Internal Rewinder	\$195.00
OPT78-2618-01	Standard Cutter Kit for 10 mil stock	\$695.00

6" Model Options

Part#	Description	USD
OPT78-2613-11	Thermal Transfer Option (Coated side in/Coated side out)	\$100.00
OPT78-2615-11	Internal Rewinder (Powered)	\$520.00
OPT78-2655-11	Basic Peel and Present Sensor – requires Internal Rewinder Mechanism	\$100.00
OPT78-2618-11	Standard Cutter Kit for 10 mil stock	\$795.00

A-Class Mark II R-Series



Common Standard Features

RAM: 16MB

Flash Memory: 8MB

Serial/Parallel/Ethernet/USB connectivity

Bitmapped Fonts: 9

Scalable Fonts: 3

Microprocessor:32 bit:200MHz

Media Viewing Window

Real Time Clock

A-4212

Maximum Print Speed: 12 ips

Maximum Print Width: 4.09"

Printhead Density: 203 dpi

240 X 320 LCD Display

A-4310

Maximum Print Speed: 10 ips

Maximum Print Width: 4.16"

Printhead Density: 300 dpi

240 X 320 LCD Display

A-4408

Maximum Print Speed: 8 ips

Maximum Print Width: 4.09"

Printhead Density: 400 dpi

240 X 320 LCD Display

A-4606

Maximum Print Speed: 6 ips

Maximum Print Width: 4.09"

Printhead Density: 600 dpi

240 X 320 LCD Display

A-6212

Maximum Print Speed: 12 ips

Maximum Print Width: 4.09"

Printhead Density: 203 dpi

240 X 320 LCD Display

A-6310

Maximum Print Speed: 10 ips

Maximum Print Width: 4.09"

Printhead Density: 300 dpi

240 X 320 LCD Display

A-4212, A-4310, A-4408, & A-4606

Please refer to your supplier for Printer Model pricing

USD

L - - - - - R

Printer Model

Right Hand, A-4212E 8MB FLASH	A2
Right Hand, A-4310E 8MB FLASH	A3
Right Hand, A-4408E 8MB FLASH	A4
Right Hand, A-4606E 8MB FLASH	A6
Left Hand, A-4212E 8MB FLASH	B2
Left Hand, A-4310E 8MB FLASH	B3
Left Hand, A-4408E 8MB FLASH	B4
Left Hand, A-4606E 8MB FLASH	B6

Custom Kit

Datamax RFID MP FCC/IC Kit (For Use In U.S. And Canada)	\$0	L1
Datamax RFID MP 302 - 208 Kit (For Use In Germany, Denmark, Finland, Iceland, Switzerland, Cyprus, United Kingdom, Malta, & Sebria)	\$0	L2
Datamax RFID MP I-Band Kit (For Use In France, Bulgaria, Slovenia, Poland, Lithuania, Estonia, Czech, Republic, Luxembourg, Greece, Netherlands, Ireland, Belgium, Hungary, Italy, Norway, Portugal, Spain, & Sweden)	\$0	L3
Datamax RFID MP K-Band Kit (For Use In Slovak Republic)	\$0	L4
Datamax RFID MP Kit (For Use In Australia, Hong Kong, Thailand, & Singapore)	\$0	L5
Datamax RFID MP Kit (For Use In New Zealand)	\$0	L6
Datamax RFID MP Kit (For Use In Israel)	\$0	L7
Datamax RFID MP Kit Japan Kit	\$0	L8
Datamax RFID MP Kit Korea Kit	\$0	L9
Datamax RFID MP Kit India Kit	\$0	R1
Datamax RFID MP Kit Taiwan Kit	\$0	R2

Direct Thermal/Thermal Transfer

Direct Thermal	\$0	0
Bi-Directional Thermal Transfer	\$100	4

A/C Power (Aurorange Supply) Configuration and Cord

No Power Cord Supplied	\$0	0
220v: Black Power Cord With Straight-In European Plug	\$0	3
220v: Black Power Cord With 90 Deg British Plug	\$0	4
220v: Black Power Cords, British And European	\$0	6
100v: Black Power Cord With Japanese Plug	\$0	7
110v: Black Power Cord With U.S. Plug	\$0	8
220v: Black Power Cord With South Africa Plug	\$0	9
220v: Black Power Cord With Straight-In Swiss Plug	\$0	F
220v: Black Power Cord With Straight-In Australian Plug	\$0	N
220v: Black Power Cord With Straight-In Italian Plug	\$0	P
220v: Black Power Cord With Israel Plug	\$0	U
220v: Black Power Cord With Straight-In Argentinean Plug	\$0	W
220v: Black Power Cord With Straight-In Chinese Plug	\$0	Y

Not Used

Do not Include this Option	\$0	0
----------------------------	-----	---

Cutter / Ribbon Saver / Top Pinch Roller Option

Do Not Include This Option	\$0	0
Cutter Option	\$1,495	4
Top Pinch Roller Option	\$225	5
Ribbon Saver and Top Pinch Roller Option	\$1,025	C
Top Pinch Roller and Cutter Option	\$1,720	D
Ribbon Saver, Top Pinch Roller, and Cutter Option	\$2,520	E

Font Expansion Option

Do Not Include This Option	\$0	0
Kanji Gothic B	\$0	H
Simplified Chinese	\$0	N
Korean Hangul Font	\$0	V

Interface Options

Do Not Include This Option	\$0	0
DMXrfNet II Wireless B/G & USB/SDIO Option	\$695	J
USB & SDIO Option	\$100	E
DMXrfNet II Wireless B/G Option	\$595	S

RFID

UHF 915MHz MP RFID Option	\$0	R
---------------------------	-----	---

Misc. Options

Do Not Include This Option	\$0	0
Remote Display Option	\$600	F
Remote Display "Ready" Option	\$400	G
Cover Open Sensor	\$200	V
Remote Display Option & Cover Open Sensor	\$800	X
Remote Display "Ready" Option & Cover Open Sensor	\$600	Z

A-Class Mark II R-Series

Common Options

Part#	Description	USD
-----	MCL (see separate Datamax MCL price list)	N/A
DPO78-2660-02	Kanji Gothic Font Kit	\$0.00
DPO78-2660-03	Simplified Chinese Font Kit	\$0.00
DPO78-2660-04	Korean Hangeul Font Kit	\$0.00
OPT78-2657-12	DMXrfNet II Internal 802.11b/g WiFi Card	\$595.00
OPT78-2807-02	Remote Display (for "remote display ready" equipped models only)	\$200.00

S-Class



Common Standard Features

RAM: 4MB

Flash Memory: 2MB

Serial/Parallel/USB connectivity

Real Time Clock

10 Resident Fonts

3 Button/ 3LED Control Panel

DPL and DTPL Emulation Modes

ST-3210

Maximum Print Speed: 10 ips

Maximum Print Width: 3.15"

Printhead Density: 203 dpi

Metal construction with media cover lock

ST-3306

Maximum Print Speed: 6 ips

Maximum Print Width: 3.2"

Printhead Density: 300 dpi

Metal construction with media cover lock

SV-3210

Maximum Print Speed: 10 ips

Maximum Print Width: 3.15"

Printhead Density: 203 dpi

Metal construction - Counter Mount

SV-3306

Maximum Print Speed: 6 ips

Maximum Print Width: 3.2"

Printhead Density: 300 dpi

Metal construction - Counter Mount

ST-3210 & ST-3306

Q - 00 - - - - - 0

USD

Printer Model

ST-3210 Printer 203DPI, 2MB FLASH	\$1,295	22
ST-3210 Printer 203DPI, 6MB FLASH	\$1,460	52
ST-3306 Printer 300DPI, 2MB FLASH	\$1,695	23
ST-3306 Printer 300DPI, 6MB FLASH	\$1,860	53

Custom Kit

ST-3210, 203 DPI Kit	\$0	00
ST-3210, 203 DPI KIT w/Multi-Lang Manual	\$0	01
ST-3306, 300 DPI Kit	\$0	00
ST-3306, 300 DPI KIT w/Multi-Lang Manual	\$0	01

Direct Thermal/Thermal Transfer

Direct Thermal Only	\$0	0
---------------------	-----	---

A/C Power (Aurorange Supply) Configuration and Cord

No Power Cord Supplied	\$0	0
220v: Black Power Cord With Straight-In European Plug	\$0	3
220v: Black Power Cord With 90 Deg British Plug	\$0	4
220v: Black Power Cords, British And European	\$0	6
110v: Black Power Cord With U.S. Plug	\$0	8
220v: Black Power Cord With South Africa Plug	\$0	9
220v: Black Power Cord With Straight-In Swiss Plug	\$0	F
220v: Black Power Cord With Straight-In Australian Plug	\$0	N
220v: Black Power Cord With Straight-In Italian Plug	\$0	P
220v: Black Power Cord With Israel Plug	\$0	U

Media Hub Option

Do Not Include This Option	\$0	0
Media Roll Support	\$95	B

ILPC Font Options

Do Not Include This Option	\$0	0
ILPC - CG Times Only Font - download	\$0	A
ILPC - CG Times Font Family (requires Printer Model 52 or 53)	\$0	G
Korean Font Option (requires Printer Model 52 or 53)	\$0	V
Simplified Chinese Option (requires Printer Model 52 or 53)	\$0	N

Printer Programming Language Setting

DTPL (Boca Emulation)	\$0	0
DPL	\$0	1
Auto Detect	\$0	2

Not Used

Do Not Include This Option	\$0	0
----------------------------	-----	---

Lock Sets

Lock Set, Keyed Different, No Master Key	\$0	0
Lock Set, Keyed Different, With Master Key	\$0	A
Lock Set, Keyed Alike	\$0	B

Misc. Options

No Cutter With Standard TOF Sensor	\$0	0
Cutter Kit With Standard TOF Sensor & 3.25" Ticket Tray	\$300	2
Cutter Kit With TOF, Top Sensor & 3.25" Ticket Tray	\$300	8
No Cutter With TOF, Top Sensor	\$50	M
Cutter Kit With Standard TOF Sensor & 2" Ticket Tray	\$300	P
Cutter Kit With TOF, Top Sensor & 2" Ticket Tray	\$300	Q

SV-3210 & SV-3306

Q - 00 - - - - - 0

USD

Printer Model

SV-3210 Printer 203DPI, 2MB FLASH	\$1,495	82
SV-3210 Printer 203DPI, 6MB FLASH	\$1,660	92
SV-3306 Printer 300DPI, 2MB FLASH	\$1,895	83
SV-3306 Printer 300DPI, 6MB FLASH	\$2,060	93

Custom Kit

SV-3210, 203 DPI Kit	\$0	00
SV-3210, 203 DPI KIT w/Multi-Lang Manual	\$0	01
SV-3306, 300 DPI Kit	\$0	00
SV-3306, 300 DPI KIT w/Multi-Lang Manual	\$0	01

Direct Thermal/Thermal Transfer

Direct Thermal Only	\$0	0
---------------------	-----	---

A/C Power (Aurorange Supply) Configuration and Cord

No Power Cord Supplied	\$0	0
220v: Black Power Cord With Straight-In European Plug	\$0	3
220v: Black Power Cord With 90 Deg British Plug	\$0	4
220v: Black Power Cords, British And European	\$0	6
110v: Black Power Cord With U.S. Plug	\$0	8
220v: Black Power Cord With South Africa Plug	\$0	9
220v: Black Power Cord With Straight-In Swiss Plug	\$0	F
220v: Black Power Cord With Straight-In Australian Plug	\$0	N
220v: Black Power Cord With Straight-In Italian Plug	\$0	P
220v: Black Power Cord With Israel Plug	\$0	U

Media Hub Option

Do Not Include This Option	\$0	0
Media Roll Support (ST Models Only)	\$95	B

ILPC Font Options

Do Not Include This Option	\$0	0
ILPC - CG Times Only Font - download	\$0	A
ILPC - CG Times Font Family (requires Printer Model 52 or 53)	\$0	G
Korean Font Option (requires Printer Model 52 or 53)	\$0	V
Simplified Chinese Option (requires Printer Model 52 or 53)	\$0	N

Printer Programming Language Setting

DTPL (Boca Emulation)	\$0	0
DPL	\$0	1
Auto Detect	\$0	2

Not Used

Do Not Include This Option	\$0	0
----------------------------	-----	---

Not Used

Do Not Include This Option	\$0	0
----------------------------	-----	---

Misc. Options

Assy, Tearbar - Standard TOF Sensor	\$0	0
Assy, Ticket Present - Standard TOF Sensor	\$300	2
No Option	\$0	N
Assy, Tearbar - Top TOF Sensor	\$0	Y
Assy, Ticket Present - Top TOF Sensor	\$300	Z

S-Class

Common Options

Part#	Description	USD
OPT15-2775-01	Cutter Option (ST Only)	\$300.00
DPO12-2978-01	Media Hangerfor Roll Media (ST Only)	\$95.00
DPO78-2300-01	DB9 RS232 Serial Data Cable	\$35.00
DPO32-2301-01	DB25 RS232 Serial Data Cable	\$35.00
DPO32-2380-01	Parallel cable	\$25.00
DPO32-2502-01	USB cable	\$25.00
DPO32-2549-01	25pin-to-9pin Serial Adapter Cable	\$20.00
DPO15-3081-01	Cutter Tray for 2" tickets (ST Only)	\$50.00
DPO11-5228-01	Cutter Tray for 3.25" tickets (ST Only)	\$50.00
DPO78-2278-01	DMX-100 External Ethernet Print Server	\$495.00

MCL



Supported Printer Models

A-Class Printers: All Models

M-Class Printers: M-4208, M-4306

M-Class Mark II Printers: M-4210, M-4308

I-Class Printers: I-4210, I-4212, I-4308, I-4406, I-4604

W-Class Printers: All Models

H-Class Printers: All Models

NOTE:

• ONLY Datamax-O'Neil/MCL Certified Partners can purchase and activate Datamax-O'Neil/MCL enabled printers and software.

• Datamax-O'Neil/MCL software products that are installed and licensed to a specific personal computer can NOT be installed and licensed on any other computer. The initial purchase of a hardware key is required if there is a need to move the software from one computer to another.

MCL

MCL Collection

Part#	Description	USD
DPO78-2678-01	MCL-123 Print	\$775.00
DPO78-2679-01	DMXNet Manager	N/C
DPO78-2547-01	MCL-Collection for Datamax Text Display (A, M, I, W-Class) Includes: MCL-Designer, MCL-Link, MCL-Net (5 Users)	\$1,745.00
DPO78-2547-02	MCL-Collection for Datamax Graphical Display (H-Class, M-Class <i>MarkII</i> , 4210 & 4308 only) Includes: MCL-Designer, MCL-Link, MCL-Net (5 Users)	\$1,745.00
DPO78-2547-03	MCL-Collection for Datamax for ALL Datamax Printers Includes: MCL-Designer, MCL-Link, MCL-Net (5 Users)	\$2,325.00

MCL Designer

Part#	Description	USD
N/A	MCL-Designer Engine (requires at least one of the following two plug-in licenses)	N/C
DPO78-2505-01	MCL-Designer Plug-in for Text Display (A, M, I, W-Class)	\$1,295.00
DPO78-2505-02	MCL-Designer Plug-in for Graphical Display (H-Class, M-Class <i>MarkII</i> , 4210 & 4308 only)	\$1,295.00
DPO78-2506-01	MCL-R/3 Bridge Designer Add-On	\$1,295.00

MCL Link

Part#	Description	USD
DPO78-2508-01	MCL-Link	\$295.00
DPO78-2508-02	MCL-Link 4 Com Port	\$795.00
DPO78-2508-03	MCL-Link 8 Com Port	\$1,295.00

MCL Net

Part#	Description	USD
DPO78-2509-01	MCL-Net (5 Users)	\$425.00
DPO78-2509-02	MCL-Net (25 Users)	\$1,295.00
DPO78-2509-03	MCL-Net (50 Users)	\$2,595.00
DPO78-2509-04	MCL-Net (100 Users)	\$3,895.00
DPO78-2509-05	MCL-Net (250 Users)	\$6,495.00
DPO78-2510-01	MCL-Net (+5 Users)	\$775.00
DPO78-2510-02	MCL-Net (+25 Users)	\$1,945.00
DPO78-2510-03	MCL-Net (+250 Users)	\$3,895.00

MCL Bridge

Part#	Description	USD
DPO78-2511-01	MCL-R/3 Bridge - IDOC Component	\$9,695.00
DPO78-2512-01	MCL-R/3 Bridge - RFC/BAPI Component	\$3,895.00

Keys

Part#	Description	USD
DPO78-2549-01	Hardware Key – USB (dealer discount does NOT apply)	\$60.00
DPO78-2550-01	Hardware Key – Parallel (dealer discount does NOT apply)	\$60.00

Accessories

Part#	Description	USD
DPO78-2570-01	PS/2 keyboard serial adapter cable	\$50.00
DPO32-2549-01	PS/2 keyboard 25 pin to 9 pin serial adapter cable (for A & M Class) (Requires DPO78-2570-01)	\$20.00
DPO78-2536-01	Dual serial port cable for A and M-Class (dealer discount does NOT apply)	\$130.00
DPO78-2536-02	Dual serial port cable for I and W-Class (dealer discount does NOT apply)	\$65.00
DPO78-2669-01	MCL, 25-pin COM2 Port/GPIO Board for I and W-Class	\$165.00



datamax o'neil
right by our customers.

Portable Products Pricing

USD – Effective April 1st 2010

Summary of Changes: *

Apex 2

Part Number	Description	Change	List Price
78728S1-3	Apex 2, RS232 and Bluetooth	New	\$595.00
78728S1R-3	Apex 2, RS232, Bluetooth and Magnetic Card Reader	New	\$675.00
78728S1-2	Apex 2, RS232 and 802.11	New	\$745.00
78728S1R-2	Apex 2, RS232, 802.11 and Magnetic Card Reader	New	\$825.00

Apex 3

Part Number	Description	Change	List Price
78828S1-3	Apex 3, RS232 and Bluetooth	New	\$695.00
78828S1R-3	Apex 3, RS232, Bluetooth and Magnetic Card Reader	New	\$775.00
78828S1-2	Apex 3, RS232 and 802.11	New	\$845.00
78828S1R-2	Apex 3, RS232, 802.11 and Magnetic Card Reader	New	\$925.00

Apex 4

Part Number	Item Description	Change	List Price
78928U1-3	Apex 4, RS232 and Bluetooth	New	\$795.00
78928U1R-3	Apex 4, RS232, Bluetooth and Magnetic Card Reader	New	\$875.00
78928U1-2	Apex 4, RS232 and 802.11	New	\$945.00
78928U1R-2	Apex 4, RS232, 802.11 and Magnetic Card Reader	New	\$1,025.00

S2000i

Part Number	Item Description	Change	List Price
77118I1	S2000i, RS232 and IrDA	New	\$595.00
77118S1-3	S2000i, RS232 and Class 2 Bluetooth®	New	\$675.00
77118S1R-3	S2000i, RS232, Class 2 Bluetooth® and MCR	New	\$755.00

*The new Apex 2, Apex 3, Apex 4 and S2000i will be available mid-April.

Apex 2



Part Number	Item Description	List Price
78728S1-3	Apex 2, RS232 and Bluetooth	\$595.00
78728S1R-3	Apex 2, RS232, Bluetooth and Magnetic Card Reader	\$675.00
78728S1-2	Apex 2, RS232 and 802.11	\$745.00
78728S1R-2	Apex 2, RS232, 802.11 and Magnetic Card Reader	\$825.00

Apex 2 Printers include the following items:

- Universal AC Adapter (180-minute Fast Charge)
- Lithium Ion Battery
- Belt Loop System
- 1 Thermal Paper Roll
- 15 month warranty (including print head)

PERIPHERALS AND ACCESSORIES

Part Number	Item Description	List Price
Chargers		
157261	Universal AC Adapter (US, UK, Euro & Australian Plugs)	\$30.00
151133	10.6V to 30V In-Vehicle Charger (Must use battery in printer)	\$75.00
767400-1	Battery Charger (2 Bay) Li-Ion, 120VAC	\$140.00
767400-2	Battery Charger (2 Bay) Li-Ion, 220VAC	\$140.00
767400-4	Battery Charger (2 Bay) Li-Ion, 240 VAC	\$140.00
Comm. Cables		
5892RJD9-1	Coiled Cable - Straight RJ Plug	\$30.00
5892RJD9	Coiled Cable - Right Angled RJ Plug	\$30.00
5892RJOPEN	Coiled Cable Unterminated - Straight RJ Plug	\$20.00
Accessories		
756998-2	Belt Loop System (Compatible with 2" and 4" Apex Printers)	\$35.00
757351	Shoulder Strap System (Compatible with all Apex Printers)	\$35.00
756983	IP 54 Certified Environmental Case for 2" Apex Printers	\$90.00
7AWINCE	Windows PrinterCE SDK from Field Software	\$39.90
7ACENETCF	Windows PrinterCE.Net CF SDK from Field Software	\$49.90
757160	Magnetic Card Reader Cleaning Cards (5 per order)	\$5.00
7A100014	Battery (Lithium Ion; 7.4V, 2250 mAh)	\$65.00

OC2 Portable Printers



Part Number	Item Description	List Price
200320-101	<p>Printer, OC2 Receipt, Serial</p> <p>The lightweight and ergonomic OC2 is based on Datamax-O'Neil's proprietary ASIC platform and features a faster 3" per second print speed. The OC2 prints direct thermal receipts up to 2.25 inches wide and is the ideal printer for retail and hospitality applications where point-of sale and on-demand transaction processing is required. Supports the printing of 1-D and 2-D bar codes, graphics, and signature capture. Includes built-in intelligent battery charging, RS-232 port, 4MB flash memory, 2MB RAM, battery, swivel belt clip, paper, and User Guide.</p>	\$650.00
200321-101	<p>Printer, OC2 Receipt, Serial, Magnetic Card Reader</p> <p>Card reader option reads magnetic swipe track 1, 2, 3.</p>	\$800.00
200323-101	<p>Printer, OC2 Receipt, Bluetooth</p> <p>Integrated Bluetooth module for WPAN communications supports versions 1.1 and 1.2 of the Bluetooth standard (SIG certified).</p>	\$800.00
200324-101	<p>Printer, OC2 Receipt, Bluetooth, Magnetic Card Reader</p> <p>This Bluetooth configuration includes the magnetic card reader option.</p>	\$950.00
200325-101	<p>Printer, OC2 Receipt, 802.11b/g, U.S.</p> <p>The OC2 WLAN configurations incorporate a compact, integrated on-board 802.11b/g module which supports advanced security encryptions.</p>	\$975.00
200325-201	<p>Printer, OC2 Receipt, 802.11b/g, Euro</p> <p>Includes an on-board 802.11b/g module that is programmed to support European operating channels.</p>	\$975.00
200327-101	<p>Printer, OC2 Receipt, 802.11b/g, U.S., Magnetic Card Reader</p> <p>Incorporates the U.S. radio module. Card reader option reads magnetic swipe track 1, 2, 3.</p>	\$1,125.00
200327-201	<p>Printer, OC2 Receipt, 802.11b/g, Euro, Magnetic Card Reader</p> <p>Incorporates the Euro radio module. Card reader option reads magnetic swipe track 1, 2, 3.</p>	\$1,125.00

OC2 Portable Printers



PERIPHERALS AND ACCESSORIES

Part Number	Item Description	List Price
Chargers		
220515-100	AC Adapter, Universal, U.S. plug	\$52.00
220516-100	AC Adapter, Universal, Euro plug	\$57.00
220517-100	AC Adapter, Universal, U.K. plug	\$64.00
220521-100	AC Adapter, Universal, Swiss plug	\$64.00
220518-100	AC Adapter, Universal, Australian plug	\$66.00
510116-001	Cigarette Lighter Power Cable, Thermal Printers	\$17.00
220236-000	Kit, OC Series, 5-Bay Depot Charger ⁵⁾	\$554.00
220237-000	Kit, OC Series, 4-Bay Depot Charger & Double Bay Battery Charger ⁶⁾	\$778.00
Comm. Cables		
210164-100	DB9 F (Coiled) Right Angle	\$39.00
210164-103	Symbol 3100/6100 RJ45 (Coiled) Right Angle	\$50.00
210164-104	Cable, Coiled Right Angle, Teklogix	\$134.00
210164-109	Cable, Coiled, Right Angle, Symbol 1700/2700/2800	\$67.00
210164-110	Cable, Coiled, Right Angle, Telxon	\$39.00
210164-115	Cable, Coiled, Right Angle, Symbol PDT-8100	\$112.00
210164-116	Cable, Coiled, Right Angle, Symbol PDT-8000	\$118.00
210164-117	Cable, Coiled, Symbol MC9000 Adapter ²⁾	\$56.00
210164-120	Cable, Coiled, Right Angle, Symbol MC3000 Adapter	\$85.00
210164-121	Cable, Coiled, Right Angle, Symbol MC-70 Adapter	\$90.00
210164-122	Cable, Coiled, Right Angle, Symbol MC-50/PPT 8800 Adapter ³⁾	\$56.00
210164-123	Cable, Coiled, Right Angle, Unitech 960	\$84.00
Accessories		
280480-001	Belt Clip, OC/MF Swivel	\$6.00
220527-000	IP54 Soft Case, OC2	\$56.00
220259-000	Kit, OC Swivel Mount Bracket	\$40.00
220238-000	Kit, OC Series, Shoulder Strap	\$40.00
220205-200	Kit, 3' (AMP) Right Angle Power Extension Cable	\$108.00
220206-200	Kit, 6' (AMP) Right Angle Power Extension Cable	\$110.00
220207-200	Kit, 10' (AMP) Right Angle Power Extension Cable	\$116.00
220210-200	Kit, 10' Fuse Box Right Angle Power Cable	\$140.00
550039-100	Battery, 7.2V, 2200 mAh Lithium Ion	\$77.00
220220-100	Battery Charger, OC/MF4t, Double Bay ⁴⁾	\$260.00
210259-000	Charger, OC Series, Desktop Cradle ⁴⁾	\$77.00
Software		
610200-001	Software, O'Neil Remote Management ⁷⁾	\$500.00

OC2 Ordering Notes

- 1) All OC2 printers include a battery, paper, belt clip (280480-001) and User Guide.
- 2) Order ADP9000-100, MC90XX Cable Adapter, separately from Symbol.
- 3) Order ADP5000-00R (MC50) or UCC8800-000, Universal Cable Cup, separately from Symbol.
- 4) Power supply must be ordered separately.
- 5) Includes 220180-100, AC Adapter, Universal High Capacity, U.S.
- 6) Includes 220180-100, AC Adapter, Universal High Capacity, U.S. and 220220-100, Double Bay Battery Charger.
- 7) This remote management software can be downloaded from Datamax-O'Neil's website after purchase (www.oneilprinters.com).
- 8) All OC2 printers include a standard factory warranty of two years.

microFlash 2te Radio Printers



Part Number	Item Description	List Price
200383-100	<p>Printer, MF2te, Serial, Swivel ¹⁾ The newly introduced MF2Te printers are Datamax-O'Neil's most compact and rugged printers and feature a processor platform that is ten times faster than similar models. They include a USB and RS-232 port, 4MB flash, 2MB RAM, integrated battery and charging system, belt clip, paper, cleaning card, and User Guide. Supports printing of 1-D and 2-D bar codes, graphics, and signature capture.</p>	\$550.00
200380-100	<p>Printer, MF2te, Bluetooth, Swivel ¹⁾ Includes all of the features of 200383-100, with an integrated Bluetooth module (version 2.0).</p>	\$700.00
200381-100	<p>Printer, MF2te, Bluetooth, Magnetic Swipe Card Reader, Swivel ¹⁾ Includes all of the features of 200380-100, with a compact, rugged and easy to use swipe style magnetic card reader.</p>	\$850.00
200382-100	<p>Printer, MF2te, Bluetooth, Linerless, Swivel ¹⁾ Includes all of the features of 200380-100 and incorporates design features that are compatible with linerless media.</p>	\$750.00

microFlash 2te Printers



PERIPHERALS AND ACCESSORIES

Part Number	Item Description	List Price
Chargers		
220515-100	AC Adapter, Universal, U.S. plug	\$52.00
220516-100	AC Adapter, Universal, Euro plug	\$57.00
220517-100	AC Adapter, Universal, U.K. plug	\$64.00
220521-100	AC Adapter, Universal, Swiss plug	\$64.00
220518-100	AC Adapter, Universal, Australian plug	\$66.00
510116-001	Cigarette Lighter Power Cable, Thermal Printers	\$17.00
Comm. Cables		
210164-100	Cable, DB9 F (Coiled) Right Angle	\$39.00
210267-100	Cable, Right Angle, USB	\$39.00
210164-103	Cable, Symbol 3100/6100 RJ45 (Coiled) Right Angle	\$50.00
210164-104	Cable, Coiled Right Angle, Teklogix	\$134.00
210164-109	Cable, Coiled, Right Angle, Symbol 1700/2700/2800	\$67.00
210164-110	Cable, Coiled, Right Angle, Telxon	\$39.00
210164-117	Cable, Coiled, Symbol MC9000 Adapter ²⁾	\$56.00
210164-120	Cable, Coiled, Right Angle, Symbol MC3000 Adapter	\$85.00
210164-121	Cable, Coiled, Right Angle, Symbol MC-70 Adapter	\$90.00
210164-122	Cable, Coiled, Right Angle, Symbol MC-50/PPT 8800 Adapter ³⁾	\$56.00
210164-123	Cable, Coiled, Right Angle, Unitech 960	\$84.00
Accessories		
280480-001	Belt Clip, OC/MF Swivel (Spare)	\$6.00
210156-001	Swivel Belt Loop	\$20.00
220529-000	IP54 Soft Case, MF2te	\$56.00
210216-000	Swivel Mount Bracket (supports all configurations)	\$40.00
750092-000	Swivel Mount Shoulder Strap	\$40.00
550038-200	Replacement Battery, MF2te, 1800mAh	\$67.00
220205-200	Kit, 3' (AMP) Right Angle Power Extension Cable	\$108.00
220206-200	Kit, 6' (AMP) Right Angle Power Extension Cable	\$110.00
220207-200	Kit, 10' (AMP) Right Angle Power Extension Cable	\$116.00
220210-200	Kit, 10' Fuse Box Right Angle Power Cable	\$140.00

MF2te Printer Ordering Notes

- 1) All microFlash 2te printers include swivel belt clip (280480-001), battery, cleaning card, and one roll of thermal paper or linerless labels.
- 2) Order ADP9000-100, MC90XX Cable Adapter, separately from Symbol.
- 3) Order ADP5000-00R (MC50) or UCC8800-000, Universal Cable Cup, separately from Symbol.
- 4) All microFlash 2te printers include a standard factory warranty period of two years.

Apex 3



Part Number	Item Description	List Price
78828S1-3	Apex 3, RS232 and Bluetooth	\$695.00
78828S1R-3	Apex 3, RS232, Bluetooth and Magnetic Card Reader	\$775.00
78828S1-2	Apex 3, RS232 and 802.11	\$845.00
78828S1R-2	Apex 3, RS232, 802.11 and Magnetic Card Reader	\$925.00

Apex 3 Printers include the following items:

- Universal AC Adapter (180-minute Fast Charge)
- Lithium Ion Battery
- Belt Loop System
- 1 Thermal Paper Roll
- 15 month warranty (including print head)

PERIPHERALS AND ACCESSORIES

Part Number	Item Description	List Price
Chargers		
157261	Universal AC Adapter (US, UK, Euro & Australian Plugs)	\$30.00
151133	10.6V to 30V In-Vehicle Charger (Must use battery in printer)	\$75.00
767400-1	Battery Charger (2 Bay) Li-Ion, 120VAC	\$140.00
767400-2	Battery Charger (2 Bay) Li-Ion, 220VAC	\$140.00
767400-4	Battery Charger (2 Bay) Li-Ion, 240 VAC	\$140.00
Comm. Cables		
5892RJD9-1	Coiled Cable - Straight RJ Plug	\$30.00
5892RJD9	Coiled Cable - Right Angled RJ Plug	\$30.00
5892RJOPEN	Coiled Cable Unterminated - Straight RJ Plug	\$20.00
Accessories		
756998-1	Belt Loop System (Compatible with 3" Apex Printers)	\$35.00
757351	Shoulder Strap System (Compatible with all Apex Printers)	\$35.00
756985	IP 54 Certified Environmental Case for 3" Apex Printers	\$125.00
7AWINCE	Windows PrinterCE SDK from Field Software	\$39.90
7ACENETCF	Windows PrinterCE.Net CF SDK from Field Software	\$49.90
757160	Magnetic Card Reader Cleaning Cards (5 per order)	\$5.00
7A100014	Battery (Lithium Ion; 7.4V, 2250 mAh)	\$65.00

OC3 Portable Printers



Part Number	Item Description	List Price
200339-100	Printer, OC3 Receipt, Serial The lightweight and ergonomic OC3 is based on Datamax-O'Neil's proprietary ASIC platform and features a 2" per second print speed. The OC3 Receipt printer prints direct thermal receipts 3.15 inches wide. This innovative new printer is ideal for printing payment receipts and sales/service transactions in Mobile POS and hospitality applications. The OC3 Receipt printer also meets the demanding requirements of numerous other mobile printing applications, including healthcare, law enforcement, transportation, and field service. Includes built-in intelligent battery charging, RS-232 port, 4MB flash memory, 2MB RAM, battery, swivel belt clip, paper and User Guide.	\$950.00
200340-100	Printer, OC3 Receipt, Serial, Magnetic Card Reader Card reader option reads magnetic swipe track 1, 2, 3.	\$1,100.00
200341-100	Printer, OC3 Receipt, Bluetooth Integrated Bluetooth module for WPAN communications supports versions 1.1 and 1.2 of the Bluetooth standard (SIG certified).	\$1,100.00
200342-100	Printer, OC3 Receipt, Bluetooth, Magnetic Card Reader This Bluetooth configuration includes the magnetic card reader option.	\$1,250.00
200344-100	Printer, OC3 Receipt, 802.11b/g, U.S. The OC3 WLAN configurations incorporate a compact, integrated on-board 802.11b/g module which supports advanced security encryptions.	\$1,275.00
200344-200	Printer, OC3 Receipt, 802.11b/g, Euro Includes an on-board 802.11b/g module that is programmed to support European operating channels.	\$1,275.00
200345-100	Printer, OC3 Receipt, 802.11b/g, U.S., Magnetic Card Reader Incorporates the U.S. radio module. Card reader option reads magnetic swipe track 1, 2, 3.	\$1,425.00
200345-200	Printer, OC3 Receipt, 802.11b/g, Euro, Magnetic Card Reader Incorporates the Euro radio module. Card reader option reads magnetic swipe track 1, 2, 3.	\$1,425.00
200330-100	Printer, OC3 Label, Serial The lightweight and ergonomic OC3 is based on Datamax-O'Neil's proprietary ASIC platform and features a 2" per second print speed. The OC3 Label printer prints 1" to 3" lined labels with Q-mark or gap sensing. This innovative printer is ideal for printing price and markdown labels, as well as shelf labels, in retail applications. Includes built-in intelligent battery charging, RS-232 port, 4MB flash memory, 2MB RAM, battery, swivel belt clip, paper and User Guide.	\$950.00
200331-100	Printer, OC3 Label, Serial, Magnetic Card Reader Card reader option reads magnetic swipe track 1, 2, 3.	\$1,100.00
200333-100	Printer, OC3 Label, Bluetooth Integrated Bluetooth module for WPAN communications supports versions 1.1 and 1.2 of the Bluetooth standard (SIG certified).	\$1,100.00
200334-100	Printer, OC3 Label, Bluetooth, Magnetic Card Reader This Bluetooth configuration includes the magnetic card reader option.	\$1,250.00
200336-100	Printer, OC3 Label, 802.11b/g, U.S. The OC3 WLAN configurations incorporate a compact, integrated on-board 802.11b/g module which supports advanced security encryptions.	\$1,275.00
200336-200	Printer, OC3 Label, 802.11b/g, Euro Includes an on-board 802.11b/g module that is programmed to support European operating channels.	\$1,275.00
200337-100	Printer, OC3 Label, 802.11b/g, U.S., Magnetic Card Reader Incorporates the U.S. radio module. Card reader option reads magnetic swipe track 1, 2, 3.	\$1,425.00
200337-200	Printer, OC3 Label, 802.11b/g, Euro, Magnetic Card Reader Incorporates the Euro radio module. Card reader option reads magnetic swipe track 1, 2, 3.	\$1,425.00

OC3 Portable Printers



PERIPHERALS AND ACCESSORIES

Part Number	Item Description	List Price
Chargers		
220515-100	AC Adapter, Universal, U.S. plug	\$52.00
220516-100	AC Adapter, Universal, Euro plug	\$57.00
220517-100	AC Adapter, Universal, U.K. plug	\$64.00
220521-100	AC Adapter, Universal, Swiss plug	\$64.00
220518-100	AC Adapter, Universal, Australian plug	\$66.00
510116-001	Cigarette Lighter Power Cable, Thermal Printers	\$17.00
220236-000	Kit, OC Series, 5-Bay Depot Charger ⁵⁾	\$554.00
220237-000	Kit, OC Series, 4-Bay Depot Charger & Double Bay Battery Charger ⁶⁾	\$778.00
Comm. Cables		
210164-100	DB9 F (Coiled) Right Angle	\$39.00
210164-103	Symbol 3100/6100 RJ45 (Coiled) Right Angle	\$50.00
210164-104	Cable, Coiled Right Angle, Teklogix	\$134.00
210164-109	Cable, Coiled, Right Angle, Symbol 1700/2700/2800	\$67.00
210164-110	Cable, Coiled, Right Angle, Telxon	\$39.00
210164-115	Cable, Coiled, Right Angle, Symbol PDT-8100	\$112.00
210164-116	Cable, Coiled, Right Angle, Symbol PDT-8000	\$118.00
210164-117	Cable, Coiled, Symbol MC9000 Adapter ²⁾	\$56.00
210164-120	Cable, Coiled, Right Angle, Symbol MC3000 Adapter	\$85.00
210164-121	Cable, Coiled, Right Angle, Symbol MC-70 Adapter	\$90.00
210164-122	Cable, Coiled, Right Angle, Symbol MC-50/PPT 8800 Adapter ³⁾	\$56.00
210164-123	Cable, Coiled, Right Angle, Unitech 960	\$84.00
Accessories		
280480-001	Belt Clip, OC/MF Swivel	\$6.00
220530-000	IP54 Soft Case, OC3	\$56.00
220259-000	Kit, OC Swivel Mount Bracket	\$40.00
220238-000	Kit, OC Series, Shoulder Strap	\$40.00
220205-200	Kit, 3' (AMP) Right Angle Power Extension Cable	\$108.00
220206-200	Kit, 6' (AMP) Right Angle Power Extension Cable	\$110.00
220207-200	Kit, 10' (AMP) Right Angle Power Extension Cable	\$116.00
220210-200	Kit, 10' Fuse Box Right Angle Power Cable	\$140.00
550039-100	Battery, 7.2V, 2200 mAh Lithium Ion	\$77.00
220220-100	Battery Charger, OC/MF4t, Double Bay ⁴⁾	\$260.00
210259-000	Charger, OC Series, Desktop Cradle ⁴⁾	\$77.00
Software		
610200-001	Software, O'Neil Remote Management ⁷⁾	\$500.00

OC3 Ordering Notes

- 1) All OC3 printers include a battery, paper, belt clip (280480-001) and User Guide.
- 2) Order ADP9000-100, MC90XX Cable Adapter, separately from Symbol.
- 3) Order ADP5000-00R (MC50) or UCC8800-000, Universal Cable Cup, separately from Symbol.
- 4) Power supply must be ordered separately.
- 5) Includes 220180-100, AC Adapter, Universal High Capacity, U.S.
- 6) Includes 220180-100, AC Adapter, Universal High Capacity, U.S. and 220220-100, Double Bay Battery Charger
- 7) This remote management software can be downloaded from Datamax-O'Neil's website after purchase (www.oneilprinters.com).
- 8) All OC3 printers include a standard factory warranty of two years.

LP3 Wireless Portable Label Printer



Part Number	Item Description	List Price
200268-100	Printer, LP3 ^{1, 2)} The LP3 label printer is based on Datamax-O'Neil's proprietary ASIC platform and is ideal for price markdowns and hang tag applications in retail or manufacturing environments. The LP3 also offers easy and fast paper loading for 1" to 3" label stock and features twice the label capacity (120') and twice the battery capacity of other label printers in the industry. Includes battery LED, 4MB flash memory, 2MB RAM, two batteries, and carrying strap.	\$995.00
200270-100	Printer, LP3, Bluetooth ¹⁾ Integrated Bluetooth module supports Bluetooth wireless data communications and version 1.1 and 1.2 of the Bluetooth standard (SIG certified).	\$1,125.00
200271-100	Printer, LP3, 802.11b/g, U.S. ¹⁾ The LP3 WLAN configurations incorporate a compact, integrated on-board 802.11b/g module which supports advanced security encryptions.	\$1,325.00
200271-200	Printer, LP3, 802.11b/g, Euro ¹⁾ Includes an integrated 802.11b/g module that is programmed to support European operating channels.	\$1,325.00

PERIPHERALS AND ACCESSORIES

Part Number	Item Description	List Price
Chargers		
220515-100	AC Adapter, Universal, U.S. plug	\$52.00
220516-100	AC Adapter, Universal, Euro plug	\$57.00
220517-100	AC Adapter, Universal, U.K. plug	\$64.00
220521-100	AC Adapter, Universal, Swiss plug	\$64.00
220518-100	AC Adapter, Universal, Australian plug	\$66.00
Comm. Cables		
210191-101	Cable, DB9 F, Right Angle RJ12, 7', Non-Coiled	\$54.00
210164-109	Cable, Coiled Right Angle, Symbol 1700/2700/2800	\$67.00
210164-115	Cable, Coiled Right Angle, Symbol PDT-8100	\$112.00
210164-116	Cable, Coiled Right Angle, Symbol PDT-8000	\$118.00
210164-117	Cable, Coiled, Symbol MC9000 Adapter ²⁾	\$56.00
210164-120	Cable, Coiled, Right Angle, Symbol MC3000 Adapter	\$85.00
210164-121	Cable, Coiled, Right Angle, Symbol MC-70 Adapter	\$90.00
210164-122	Cable, Coiled, Right Angle, Symbol MC-50/PPT 8800 Adapter ³⁾	\$56.00
Accessories		
220244-000	LP3 Shoulder Strap Kit	\$28.00
220233-000	LP3 Shopping Cart Tray	\$67.00
240266-000	LP3 Wire Form Media Holder	\$13.00
240267-000	LP3 Wire Form Printer Holder	\$28.00
550039-100	Replacement Battery, 7.2V, 2200 mAh, Lithium Ion	\$77.00
220220-100	Battery Charger, MF4t, Double Bay ⁴⁾	\$260.00
Software		
610200-001	Software, O'Neil Remote Management ⁵⁾	\$500.00

LP3 Ordering Notes

- 1) All LP3 printers include two batteries and carrying strap.
- 2) Order ADP9000-100, MC90XX Cable Adapter, separately from Symbol.
- 3) Order ADP5000-00R (MC50) or UCC8800-000, Universal Cable Cup, separately from Symbol.
- 4) Power supply must be ordered separately.
- 5) This remote management software can be downloaded from Datamax-O'Neil's website after purchase
- 6) All LP3 printers shipped after 1/1/06 include a standard factory warranty period of two years.

Apex 4



Part Number	Item Description	List Price
78928U1-3	Apex 4, USB and Bluetooth	\$795.00
78928U1R-3	Apex 4, USB, Bluetooth and Magnetic Card Reader	\$879.00
78928U1-2	Apex 4, USB and 802.11	\$945.00
78928U1R-2	Apex 4, USB, 802.11 and Magnetic Card Reader	\$1,025.00

Apex 4 Printers include the following items:

- Universal AC Adapter (180-minute Fast Charge)
- Lithium Ion Battery
- Belt Loop System
- 1 Thermal Paper Roll
- 15 month warranty (including print head)

PERIPHERALS AND ACCESSORIES

Part Number	Item Description	List Price
Chargers		
157261	Universal AC Adapter (US, UK, Euro & Australian Plugs)	\$30.00
151133	10.6V to 30V In-Vehicle Charger (Must use battery in printer)	\$75.00
767400-1	Battery Charger (2 Bay) Li-Ion, 120VAC	\$140.00
767400-2	Battery Charger (2 Bay) Li-Ion, 220VAC	\$140.00
767400-4	Battery Charger (2 Bay) Li-Ion, 240 VAC	\$140.00
Comm. Cables		
5892USB	USB Cable 2.0	\$30.00
5892RJD9-1	Coiled Cable - Straight RJ Plug	\$30.00
5892RJD9	Coiled Cable - Right Angled RJ Plug	\$30.00
5892RJOPEN	Coiled Cable Unterminated - Straight RJ Plug	\$20.00
Accessories		
756998-2	Belt Loop System (Compatible with 2" and 4" Apex Printers)	\$35.00
757351	Shoulder Strap System (Compatible with all Apex Printers)	\$35.00
756984	IP 54 Certified Environmental Case for 4" Apex Printers	\$130.00
7AWINCE	Windows PrinterCE SDK from Field Software	\$39.90
7ACENETCF	Windows PrinterCE.Net CF SDK from Field Software	\$49.90
757160	Magnetic Card Reader Cleaning Cards (5 per order)	\$5.00
7A100014	Battery (Lithium Ion; 7.4V, 2250 mAh)	\$65.00

microFlash 4t Printer



Part Number	Item Description	List Price
200246-100	Printer, MF4t, Standard Belt Clip ¹⁾ The microFlash4t features the largest paper roll and battery capacity in its class, while remaining the smallest and lightest 4" thermal printer. Housed in an unbreakable polyethylene plastic case. Supports printing of 1-D and 2-D bar codes, graphics, signature capture, and condensed 80-column font. Includes built-in intelligent battery charging, 512KB of flash memory, 128KB RAM, IrDA port, RS-232 port, two batteries, paper, cleaning card, and User Guide.	\$885.00
200114-100	Printer, MF4t, Standard Belt Clip, Linerless ¹⁾ Supports the printing of linerless labels	\$935.00
200247-100	Printer, MF4t, Swivel Belt Clip ^{1, 2)}	\$885.00
200115-100	Printer, MF4t, Swivel Belt Clip, Linerless ^{1, 2)}	\$935.00
200211-100	Printer, MF4t, Card Reader, Swivel Belt Clip ^{1, 2)} Card reader option reads magnetic swipe track 1,2,3.	\$1,085.00

microFlash 4t Printer



PERIPHERALS AND ACCESSORIES

Part Number	Item Description	List Price
Chargers		
490033-100	AC Adapter, U.S. plug	\$27.00
220516-100	AC Adapter, Universal, Euro plug	\$57.00
220517-100	AC Adapter, Universal, U.K. plug	\$64.00
220521-100	AC Adapter, Universal, Swiss plug	\$64.00
220518-100	AC Adapter, Universal, Australian plug	\$66.00
210247-100	DC Power Extension	\$11.00
510116-001	Cigarette Lighter Power Cable, Thermal Printers	\$17.00
Comm. Cables		
210164-100	DB9 F (Coiled) Right Angle	\$39.00
210164-103	Symbol 3100/6100 RJ45 (Coiled) Right Angle	\$50.00
210164-104	Cable, Coiled Right Angle, Teklogix	\$134.00
210164-109	Cable, Coiled, Right Angle, Symbol 1700/2700/2800	\$67.00
210164-110	Cable, Coiled, Right Angle, Telxon	\$39.00
210164-115	Cable, Coiled, Right Angle, Symbol PDT-8100	\$112.00
210164-116	Cable, Coiled, Right Angle, Symbol PDT-8000	\$118.00
210164-117	Cable, Coiled, Symbol MC9000 Adapter ³⁾	\$56.00
210164-120	Cable, Coiled, Right Angle, Symbol MC3000 Adapter	\$85.00
210164-121	Cable, Coiled, Right Angle, Symbol MC-70 Adapter	\$90.00
210164-122	Cable, Coiled, Right Angle, Symbol MC-50/PPT 8800 Adapter ⁴⁾	\$56.00
210164-123	Cable, Coiled, Right Angle, Unitech 960	\$84.00
Accessories		
210156-001	Swivel Belt Loop	\$20.00
280480-001	Belt Clip, OC/MF Swivel	\$6.00
210216-000	Swivel Mount Bracket (for swivel, non card reader configurations)	\$40.00
210217-000	Swivel Mount Bracket (for card reader configurations)	\$88.00
220239-000	Kit, MF4t Truck Mount Swivel Velcro Pad	\$77.00
750092-000	Swivel Mount Shoulder Strap	\$40.00
220205-200	Kit, 3' (AMP) Right Angle Power Extension Cable	\$108.00
220206-200	Kit, 6' (AMP) Right Angle Power Extension Cable	\$110.00
220207-200	Kit, 10' (AMP) Right Angle Power Extension Cable	\$116.00
220210-200	Kit, 10' Fuse Box Right Angle Power Cable	\$140.00
550039-100	Battery, 7.2V, 2200 mAh Lithium Ion ⁵⁾	\$77.00
220220-100	Battery Charger, MF4t, Double Bay ⁶⁾	\$260.00
280228-000	3" Spindle Bracket	\$9.00
220226-100	Kit, Depot Charger, U.S. ⁷⁾	\$461.00
220226-110	Kit, Depot Charger, U.K. ⁷⁾	\$461.00
220226-120	Kit, Depot Charger, Euro ⁷⁾	\$461.00

MF4t Printer Ordering Notes

- 1) All microFlash 4t printers include two batteries, one cleaning card, and one roll of thermal paper or linerless labels.
- 2) Swivel belt loop, part number 210156-001, or swivel belt clip, part number 280480-001, must be ordered separately.
- 3) Order ADP9000-100, MC90XX Cable Adapter, separately from Symbol.
- 4) Order ADP5000-00R (MC50) or UCC8800-000, Universal Cable Cup, separately from Symbol.
- 5) Two batteries recommended.
- 6) Power supply must be ordered separately.
- 7) Includes AC Adapter, Universal High Capacity with U.S., U.K., or Euro plug, as applicable.
- 8) All microFlash 4t printers shipped after 1/1/06 include a standard factory warranty period of two years.

microFlash 4te Radio Printers



Part Number	Item Description	List Price
200370-100	Printer, MF4te, 802.11b/g, U.S., Swivel Belt Clip ^{1,2)} The MF4te radio printers are based on Datamax-O'Neil's proprietary ASIC platform which features a processor that is ten times faster and increased memory capacity (4MB flash, 2MB RAM). The WLAN configurations incorporate a compact, integrated on-board 802.11b/g module which supports advanced security encryptions and faster transfer speeds. Includes built-in intelligent battery charging, RS-232 port, two batteries, paper, cleaning card, and User Guide. Supports printing of 1-D and 2-D bar codes, graphics, signature capture, and condensed 80-column font.	\$1,295.00
200370-200	Printer, MF4te, 802.11b/g, Euro, Swivel Belt Clip ^{1,2)} Includes an on-board 802.11b/g module that is programmed to support European operating channels.	\$1,295.00
200371-100	Printer, MF4te, 802.11b/g, U.S., Swivel Belt Clip, Linerless ^{1,2)} Includes the U.S. radio module and supports the printing of linerless labels.	\$1,345.00
200371-200	Printer, MF4te, 802.11b/g, Euro, Swivel Belt Clip, Linerless ^{1,2)} Includes the Euro radio module and supports the printing of linerless labels.	\$1,345.00
200372-100	Printer, MF4te, 802.11b/g, U.S., Swivel Belt Clip, E-Charge ^{1,2)} Incorporates the U.S. radio module and external charge contacts at the back of the printer case for use with 210216-001 swivel mount charging bracket.	\$1,295.00
200372-200	Printer, MF4te, 802.11b/g, Euro, Swivel Belt Clip, E-Charge ^{1,2)} Incorporates the Euro radio module and external charge contacts at the back of the printer case for use with 210216-001 swivel mount charging bracket.	\$1,295.00
200373-100	Printer, MF4te, 802.11b/g, U.S., Swivel Belt Clip, External Paper Slot ^{1,2)} Includes the U.S. radio module and external paper slot at back of printer case to support 220211-100 Truck Mount Paper Tray installations.	\$1,295.00
200377-100	Printer, MF4te, 802.11b/g, U.S., Mag Swipe Reader, Swivel Belt Clip ^{1,2)} Incorporates the U.S. radio module. Card reader option reads magnetic swipe track 1,2,3.	\$1,495.00
200377-200	Printer, MF4te, 802.11b/g, Euro, Mag Swipe Reader, Swl Belt Clip ^{1,2)} Incorporates the Euro radio module. Card reader option reads magnetic swipe track 1,2,3.	\$1,495.00
200360-100	Printer, MF4te, Bluetooth, Swivel Belt Clip ^{1,2)} Integrated Bluetooth module supports Bluetooth wireless data communications and version 1.1 and 1.2 of the Bluetooth standard (SIG certified). Includes built-in intelligent battery charging, RS-232 port, two batteries, paper, cleaning card, and User Guide. Supports printing of 1-D and 2-D bar codes, graphics, signature capture and condensed 80-column font. NEW features include an external DC charge port, LED's, and an enhanced battery compartment for easy battery removal.	\$1,125.00
200361-100	Printer, MF4te, Bluetooth, Swivel Belt Clip, Linerless ^{1,2)} This Bluetooth configuration supports the printing of linerless labels.	\$1,175.00
200362-100	Printer, MF4te, Bluetooth, Swivel Belt Clip, E-Charge ^{1,2)} This Bluetooth configuration incorporates external charge contacts at the back of the printer case for use with 210216-001 swivel mount charging bracket.	\$1,125.00
200363-100	Printer, MF4te, Bluetooth, Swivel Belt Clip, External Paper Slot ^{1,2)} Includes external paper slot at back of printer case to support 220211-100 Truck Mount Paper Tray installations.	\$1,125.00
200367-100	Printer, MF4te, Bluetooth, Mag Swipe Reader, Swivel Belt Clip ^{1,2)} This Bluetooth configuration includes the magnetic card reader option.	\$1,325.00

microFlash 4te Radio Printers



PERIPHERALS AND ACCESSORIES

Part Number	Item Description	List Price
Chargers		
220515-100	AC Adapter, Universal, U.S. plug	\$52.00
220516-100	AC Adapter, Universal, Euro plug	\$57.00
220517-100	AC Adapter, Universal, U.K. plug	\$64.00
220521-100	AC Adapter, Universal, Swiss plug	\$64.00
220518-100	AC Adapter, Universal, Australian plug	\$66.00
510116-001	Cigarette Lighter Power Cable, Thermal Printers	\$17.00
Comm. Cables		
210164-100	DB9 F (Coiled) Right Angle Cable	\$39.00
Accessories		
210156-001	Swivel Belt Loop	\$20.00
280480-001	Belt Clip, OC/MF Swivel	\$6.00
220528-000	IP54 Soft Case, MF4te	\$56.00
210216-000	Swivel Mount Bracket (for all printer configurations without charge contacts)	\$40.00
210216-001	Swivel Mount Charging Bracket (for use with 200362-100, 200372-100, and 200372-200 MF4te printers)	\$106.00
220226-103	Kit, Depot Charger, E-Charge (for use with 200372-100, 200372-200, and 200362-100 MF4te printers)	\$495.00
220239-000	Kit, MF4t Truck Mount Swivel Velcro Pad	\$77.00
750092-000	Swivel Mount Shoulder Strap	\$40.00
220205-200	Kit, 3' (AMP) Right Angle Power Extension Cable	\$108.00
220206-200	Kit, 6' (AMP) Right Angle Power Extension Cable	\$110.00
220207-200	Kit, 10' (AMP) Right Angle Power Extension Cable	\$116.00
220210-200	Kit, 10' Fuse Box Right Angle Power Cable	\$140.00
550039-100	Battery, 7.2V, 2200 mAh Lithium Ion ³⁾	\$77.00
220211-100	Kit, MF4t Truck Mount Paper Tray	\$358.00
220220-100	Battery Charger, MF4t, Double Bay ⁴⁾	\$260.00
280228-000	3" Spindle Bracket	\$9.00
Software		
610200-001	Software, O'Neil Remote Management ⁵⁾	\$500.00

MF4te Radio Printer Ordering Notes

- 1) All microFlash 4te printers include two batteries, one cleaning card, and one roll of thermal paper or linerless labels.
- 2) Swivel belt loop, part number 210156-001, or swivel belt clip, part number 280480-001, must be ordered separately.
- 3) Two batteries recommended.
- 4) Power supply must be ordered separately.
- 5) This remote management software can be downloaded from Datamax-O'Neil's website after purchase (www.oneilprinters.com).
- 6) All microFlash 4te printers include a standard factory warranty period of two years.

CN3/4 PrintPAD Series

Intermec Compatible



Part Number	Item Description	List Price
200440-100	Printer, PrintPAD CN3/4 The PrintPAD CN3/4 is the latest product addition to the popular PrintPAD series. This rugged four inch wide thermal receipt printer incorporates a communications and charging cradle for the Intermec CN3/4 series of handheld computers and Datamax-O'Neil's fastest electronics. USB communications are enabled on the PrintPAD CN3/4. Supports printing of 1-D and 2-D bar codes, signature capture and condensed 80-column font for invoice printing. Includes built-in intelligent battery charging, 4MB of flash memory, 2MB RAM, RS-232 port, two batteries, hand strap, paper, and User Guide. The PrintPAD CN3/4 also features an external DC charge port, LED's, and an enhanced battery compartment for easy battery removal.	\$1,280.00
200451-100	Printer, PrintPAD CN3/4, E-Charge This version of the PrintPAD CN3/4 includes all of the features of 200440-100 as well as charge contacts for the 220262-100 Charging Vehicle Mount Bracket Kit.	\$1,295.00
200449-100	Printer, PrintPAD CN3/4, E-Charge, Card Reader Option Includes all of the features of 200451-100 as well as an integrated card reader (magnetic swipe track 1,2,3).	\$1,520.00
200447-100	Printer, PrintPAD CN3/4, Dex Includes all of the features of 200440-100 as well as a Dex port and Dex cable.	\$1,380.00
200453-100	Printer, PrintPAD CN3/4, Dex, E-Charge This version of the PrintPAD CN3/4 includes all of the features of 200447-100 as well as charge contacts for the 220262-100 Charging Vehicle Mount Bracket Kit.	\$1,395.00
200450-100	Printer, PrintPAD CN3/4, Dex, E-Charge, Card Reader Option This version of the PrintPAD CN3/4 includes all of the features of 200453-100 as well as an integrated card reader (magnetic swipe track 1,2,3).	\$1,620.00
200441-100	Printer, PrintPAD CN3/4, Card Reader Option Card reader option reads magnetic swipe track 1,2,3.	\$1,505.00
200442-100	Printer, PrintPAD CN3/4, Card Reader, Dex Option Includes all of the features of 200441-100 as well as a Dex port and Dex cable.	\$1,605.00
200443-100	Printer, PrintPAD CN3/4, Bluetooth Includes all of the features of 200440-100, with an integrated Bluetooth radio.	\$1,470.00
200448-100	Printer, PrintPAD CN3/4, Bluetooth, Dex Includes all of the features of 200443-100, as well as a Dex port and Dex cable.	\$1,570.00
200452-100	Printer, PrintPAD CN3/4, Bluetooth, E-Charge Includes all of the features of 200443-100, as well as charge contacts for the 220262-100 Charging Vehicle Mount Bracket Kit.	\$1,485.00
200454-100	Printer, PrintPAD CN3/4, Bluetooth, E-Charge, Dex Includes all of the features of 200452-100, as well as a Dex port and Dex cable.	\$1,585.00
200455-100	Printer, PrintPAD CN3/4, Bluetooth, E-Charge, Card Reader Option Includes all of the features of 200452-100, with an integrated card reader (magnetic swipe track 1,2,3)	\$1,710.00
200445-100	Printer, PrintPAD CN3/4, Bluetooth, Card Reader Option Includes all of the features of 200443-100, with an integrated card reader (magnetic swipe track 1,2,3).	\$1,695.00
200446-100	Printer, PrintPAD CN3/4, Bluetooth, Card Reader, Dex Option Includes all of the features of 200445-100 as well as a Dex port and Dex cable	\$1,795.00

CN3e/4e PrintPAD Series

Intermec Compatible



Part Number	Item Description	List Price
200460-100	<p>Printer, PrintPAD CN3e/4e</p> <p>The PrintPAD CN3e/4e is the latest product addition to the popular PrintPAD series. This rugged four inch wide thermal receipt printer incorporates a communications and charging cradle for the Intermec CN3e/4e series of handheld computers and Datamax-O'Neil's fastest electronics. USB communications are enabled on the PrintPAD CN3e/4e. Supports printing of 1-D and 2-D bar codes, signature capture and condensed 80-column font for invoice printing. Includes built-in intelligent battery charging, 4MB of flash memory, 2MB RAM, RS-232 port, two batteries, hand strap, paper, and User Guide. The PrintPAD CN3e/4e also features an external DC charge port, LED's, and an enhanced battery compartment for easy battery removal.</p>	\$1,280.00
200471-100	<p>Printer, PrintPAD CN3e/4e, E-Charge</p> <p>This version of the PrintPAD CN3e/4e includes all of the features of 200460-100 as well as charge contacts for the 220262-100 Charging Vehicle Mount Bracket Kit.</p>	\$1,295.00
200469-100	<p>Printer, PrintPAD CN3e/4e, E-Charge, Card Reader Option</p> <p>Includes all of the features of 200471-100 as well as an integrated card reader (magnetic swipe track 1,2,3).</p>	\$1,520.00
200467-100	<p>Printer, PrintPAD CN3e/4e, Dex</p> <p>Includes all of the features of 200460-100 as well as a Dex port and Dex cable.</p>	\$1,380.00
200473-100	<p>Printer, PrintPAD CN3e/4e, Dex, E-Charge</p> <p>This version of the PrintPAD CN3e/4e includes all of the features of 200467-100 as well as charge contacts for the 220262-100 Charging Vehicle Mount Bracket Kit.</p>	\$1,395.00
200470-100	<p>Printer, PrintPAD CN3e/4e, Dex, E-Charge, Card Reader Option</p> <p>This version of the PrintPAD CN3e/4e includes all of the features of 200473-100 as well as an integrated card reader (magnetic swipe track 1,2,3).</p>	\$1,620.00
200461-100	<p>Printer, PrintPAD CN3e/4e, Card Reader Option</p> <p>Card reader option reads magnetic swipe track 1,2,3.</p>	\$1,505.00
200462-100	<p>Printer, PrintPAD CN3e/4e, Card Reader, Dex Option</p> <p>Includes all of the features of 200461-100 as well as a Dex port and Dex cable.</p>	\$1,605.00
200463-100	<p>Printer, PrintPAD CN3e/4e, Bluetooth</p> <p>Includes all of the features of 200460-100, with an integrated Bluetooth radio.</p>	\$1,470.00
200468-100	<p>Printer, PrintPAD CN3e/4e, Bluetooth, Dex</p> <p>Includes all of the features of 200463-100, as well as a Dex port and Dex cable.</p>	\$1,570.00
200472-100	<p>Printer, PrintPAD CN3e/4e, Bluetooth, E-Charge</p> <p>Includes all of the features of 200463-100, as well as charge contacts for the 220262-100 Charging Vehicle Mount Bracket Kit.</p>	\$1,485.00
200474-100	<p>Printer, PrintPAD CN3e/4e, Bluetooth, E-Charge, Dex</p> <p>Includes all of the features of 200472-100, as well as a Dex port and Dex cable.</p>	\$1,585.00
200475-100	<p>Printer, PrintPAD CN3e/4e, Bluetooth, E-Charge, Card Reader Option</p> <p>Includes all of the features of 200472-100, with an integrated card reader (magnetic swipe track 1, 2, 3)</p>	\$1,710.00
200465-100	<p>Printer, PrintPAD CN3e/4e, Bluetooth, Card Reader Option</p> <p>Includes all of the features of 200463-100, with an integrated card reader (magnetic swipe track 1,2,3).</p>	\$1,695.00
200466-100	<p>Printer, PrintPAD CN3e/4e, Bluetooth, Card Reader, Dex Option</p> <p>Includes all of the features of 200465-100 as well as a Dex port and Dex cable</p>	\$1,795.00

CN3/4/3e/4e PrintPAD Series

Intermec Compatible



PERIPHERALS AND ACCESSORIES

Part Number	Item Description	List Price
Chargers		
220515-100	AC Adapter, Universal, U.S. plug	\$52.00
220516-100	AC Adapter, Universal, Euro plug	\$57.00
220517-100	AC Adapter, Universal, U.K. plug	\$64.00
220521-100	AC Adapter, Universal, Swiss plug	\$64.00
220518-100	AC Adapter, Universal, Australian plug	\$66.00
510116-001	Cigarette Lighter Power Cable, Thermal Printers	\$17.00
Comm. Cables		
210237-100	DEX Cable, PrintPAD CN3/4/3e/4e, MC70/75, 9000, 7900	\$27.00
210267-100	Cable, Right Angle, USB	\$39.00
210191-101	DB9F Cable, Right Angle, 7' [2m]	\$54.00
Accessories		
220205-200	Kit, 3' (AMP) Right Angle Power Extension Cable	\$108.00
220206-200	Kit, 6' (AMP) Right Angle Power Extension Cable	\$110.00
220207-200	Kit, 10' (AMP) Right Angle Power Extension Cable	\$116.00
220210-200	Kit, 10' Fuse Box Right Angle Power Cable	\$140.00
220513-000	Kit, Vehicle Mount Bracket, PrintPAD CN3/4/3e/4e, MC70/75	\$179.00
220262-100	Kit, Charging Vehicle Mount Bracket, PrintPAD CN3/4/3e/4e	\$213.00
220267-100	Kit, 5-Up E-Charge Settlement Room Bracket, PrintPAD CN3/4/3e/4e, MC70/75 (for use with 200451-100, 200449-100, 200453-100, 200450-100, 200452-100, 200454-100, 200455-100, 200471-100, 200469-100, 200473-100, 200470-100, 200472-100, 200474-100, 200475-100, 200421-100, 200426-100, 200423-100, 200425-100, 200422-100, and 200424-100 PrintPAD printers)	\$600.00
550039-100	Replacement Battery, 7.2V, 2200 mAh, Lithium Ion	\$77.00
220220-100	Battery Charger, Double Bay ²⁾	\$260.00
220265-100	Hand Strap Kit, PrintPAD CN3/4/3e/4e	\$12.00
280228-000	3" Spindle Bracket (MF4t, PrintPAD CN3/4/3e/4e, MC70/75, 9000, 7900)	\$9.00
750139-000	75" Shoulder Strap	\$13.00

PrintPAD CN3/CN3e Ordering Notes

- 1) All PrintPADs include two batteries, hand strap, and paper roll.
- 2) Power supply must be ordered separately.
- 3) All CN3/4/3e/4e PrintPADs include a standard factory warranty period of two years.

MC70/75 PrintPAD Series

Motorola Compatible



Part Number	Item Description	List Price
200410-100	<p>Printer, PrintPAD MC70/75</p> <p>This rugged four inch wide thermal receipt printer incorporates a communications and charging cradle for the Motorola MC70/75 series of handheld computers (all MC70xx and MC75xx) and O'Neil's fastest electronics. Supports printing of 1-D and 2-D bar codes, signature capture and condensed 80-column font for invoice printing. Includes built-in intelligent battery charging, 4MB of flash memory, 2MB RAM, RS-232 port, two batteries, hand strap, paper, and User Guide. The PrintPAD MC70/75 also features an external DC charge port, LED's, and an enhanced battery compartment for easy battery removal.</p>	\$1,280.00
200421-100	<p>Printer, PrintPAD MC70/75, E-Charge</p> <p>This version of the PrintPAD MC70/75 includes all of the features of 200410-100 as well as charge contacts for the 220262-000 Charging Vehicle Mount Bracket Kit.</p>	\$1,295.00
200426-100	<p>Printer, PrintPAD MC70/75, E-Charge, Card Reader Option</p> <p>Includes all of the features of 200421-100 as well as an integrated card reader (magnetic swipe track 1,2,3).</p>	\$1,520.00
200417-100	<p>Printer, PrintPAD MC70/75, Dex</p> <p>Includes all of the features of 200410-100 as well as a Dex port and Dex cable.</p>	\$1,380.00
200423-100	<p>Printer, PrintPAD MC70/75, Dex, E-Charge</p> <p>This version of the PrintPAD MC70/75 includes all of the features of 200417-100 as well as charge contacts for the 220262-000 Charging Vehicle Mount Bracket Kit.</p>	\$1,395.00
200425-100	<p>Printer, PrintPAD MC70/75, Dex, E-Charge, Card Reader Option</p> <p>This version of the PrintPAD MC70/75 includes all of the features of 200423-100 as well as an integrated card reader (magnetic swipe track 1,2,3).</p>	\$1,620.00
200411-100	<p>Printer, PrintPAD MC70/75, Card Reader Option</p> <p>Card reader option reads magnetic swipe track 1,2,3.</p>	\$1,505.00
200412-100	<p>Printer, PrintPAD MC70/75, Card Reader, DEX Option</p> <p>Includes all of the features of 200411-100 as well as a Dex port and Dex cable.</p>	\$1,605.00
200413-100	<p>Printer, PrintPAD MC70/75, Bluetooth</p> <p>Includes all of the features of 200410-100, with an integrated Bluetooth radio.</p>	\$1,470.00
200422-100	<p>Printer, PrintPAD MC70/75, Bluetooth, E-Charge</p> <p>Includes all of the features of 200413-100, as well as charge contacts for the 220262-000 Charging Vehicle Mount Bracket Kit.</p>	\$1,485.00
200424-100	<p>Printer, PrintPAD MC70/75, Bluetooth, E-Charge, Dex Option</p> <p>Includes all of the features of 200422-100, as well as a Dex port and Dex cable.</p>	\$1,585.00
200415-100	<p>Printer, PrintPAD MC70/75, Bluetooth, Card Reader Option</p> <p>Includes all of the features of 200413-100, with an integrated card reader (magnetic swipe track 1,2,3).</p>	\$1,695.00
200416-100	<p>Printer, PrintPAD MC70/75, BT, Card Reader, Dex Option</p> <p>Includes all of the features of 200415-100 as well as a Dex port and Dex cable</p>	\$1,795.00

MC70/75 PrintPAD Series

Motorola Compatible



PERIPHERALS AND ACCESSORIES

Part Number	Item Description	List Price
Chargers		
220515-100	AC Adapter, Universal, U.S. plug	\$52.00
220516-100	AC Adapter, Universal, Euro plug	\$57.00
220517-100	AC Adapter, Universal, U.K. plug	\$64.00
220521-100	AC Adapter, Universal, Swiss plug	\$64.00
220518-100	AC Adapter, Universal, Australian plug	\$66.00
510116-001	Cigarette Lighter Power Cable, Thermal Printers	\$17.00
Comm. Cables		
210237-100	DEX Cable, PrintPAD CN3/4/3e/4e, MC70/75, 9000, 7900	\$27.00
210191-101	DB9F Cable, Right Angle, 7' [2m]	\$54.00
Accessories		
220205-200	Kit, 3' (AMP) Right Angle Power Extension Cable	\$108.00
220206-200	Kit, 6' (AMP) Right Angle Power Extension Cable	\$110.00
220207-200	Kit, 10' (AMP) Right Angle Power Extension Cable	\$116.00
220210-200	Kit, 10' Fuse Box Right Angle Power Cable	\$140.00
220513-000	Kit, Vehicle Mount Bracket, PrintPAD CN3/4/3e/4e, MC70/75	\$179.00
220262-000	Kit, Charging Vehicle Mount Bracket, PrintPAD MC70/75	\$213.00
220267-100	Kit, 5-Up E-Charge Settlement Room Bracket, PrintPAD CN3/4/3e/4e, MC70/75 (for use with 200451-100, 200449-100, 200453-100, 200450-100, 200452-100, 200454-100, 200455-100, 200471-100, 200469-100, 200473-100, 200470-100, 200472-100, 200474-100, 200475-100, 200421-100, 200426-100, 200423-100, 200425-100, 200422-100, and 200424-100 PrintPAD printers)	\$600.00
550039-100	Replacement Battery, 7.2V, 2200 mAh, Lithium Ion	\$77.00
220220-100	Battery Charger, Double Bay ²⁾	\$260.00
280228-000	3" Spindle Bracket (MF4t, PrintPAD CN3/4/3e/4e, MC70/75, 9000, 7900)	\$9.00
210223-000	PrintPAD Handle Strap Kit (non-adjustable)	\$12.00
750139-000	75" Shoulder Strap	\$13.00

PrintPAD MC70/75 Ordering Notes

- 1) All PrintPADs include two batteries, hand strap, and paper roll.
- 2) Power supply must be ordered separately.
- 3) All MC70/75 PrintPADs include a standard factory warranty period of two years.

PrintPAD Series

Motorola Compatible

Part Number	Item Description	List Price
208099-100	<p>Printer, PrintPAD 1700/1800/2700/2800</p> <p>The PrintPAD 1700/1800/2700/2800 is a rugged four inch wide thermal receipt printer incorporating a communications and charging cradle for the SPT 1700, SPT 1800, PPT 2700, and PPT 2800 handheld computers (supports both monochrome and color versions). Supports printing of 1-D and 2-D bar codes, signature capture, and condensed 80-column font for invoice printing. Includes built-in intelligent battery charging, 512KB of flash memory, 128KB RAM, two batteries, hand strap, paper and User Guide.</p>	\$1,200.00
208106-100	<p>Printer, PrintPAD 9000</p> <p>The PrintPAD 9000 is a rugged four inch wide thermal receipt printer incorporating a communications and charging cradle for the MC90XX-S HHC. This enhanced version of the popular PrintPAD series includes a larger paper roll, external charging port, and an improved HHC retention latch.</p>	\$1,280.00
208108-100	<p>Printer, PrintPAD 9000, Dex</p> <p>This version of the PrintPAD 9000 includes all of the features of 208106-100 as well as a Dex port and Dex cable.</p>	\$1,380.00
208118-100	<p>Printer, PrintPAD 9000, Bluetooth</p> <p>This configuration integrates all of the features and benefits of O'Neil's proprietary ASIC platform and an on-board Bluetooth module for WPAN communications.</p>	\$1,470.00
208119-100	<p>Printer, PrintPAD 9000, Bluetooth, Dex Option</p> <p>This version of the PrintPAD 9000 includes all of the features of 208118-100 as well as a Dex port and Dex cable.</p>	\$1,570.00

PrintPAD Series

Motorola Compatible

PERIPHERALS AND ACCESSORIES

Part Number	Item Description	List Price
Chargers		
220515-100	AC Adapter, Universal, U.S. plug	\$52.00
220516-100	AC Adapter, Universal, Euro plug	\$57.00
220517-100	AC Adapter, Universal, U.K. plug	\$64.00
220521-100	AC Adapter, Universal, Swiss plug	\$64.00
220518-100	AC Adapter, Universal, Australian plug	\$66.00
210247-100	DC Power Extension	\$11.00
510116-001	Cigarette Lighter Power Cable, Thermal Printers	\$17.00
Comm. Cables		
210237-100	DEX Cable, PrintPAD CN3/4/3e/4e, MC70/75, 9000, 7900	\$27.00
210164-100	DB9F (Coiled) Right Angle Cable	\$39.00
Accessories		
220205-200	Kit, 3' (AMP) Right Angle Power Extension Cable	\$108.00
220206-200	Kit, 6' (AMP) Right Angle Power Extension Cable	\$110.00
220207-200	Kit, 10' (AMP) Right Angle Power Extension Cable	\$116.00
220210-200	Kit, 10' Fuse Box Right Angle Power Cable	\$140.00
220232-000	Kit, Settlement Room Bracket, PrintPAD 9000	\$179.00
220257-000	Kit, Vehicle Mount Bracket, PrintPAD 9000	
550039-100	Replacement Battery, 7.2V, 2200 mAh, Lithium Ion	\$77.00
220220-100	Battery Charger, MF4t, Double Bay ²⁾	\$260.00
280358-000	3" Spindle Bracket (all PrintPADs except PrintPAD 9000, 7900, and MC70/75)	\$9.00
280228-000	3" Spindle Bracket (MF4t, PrintPAD CN3/4/3e/4e, MC70/75, 9000, 7900)	\$9.00
210223-000	PrintPAD Handle Strap Kit (non-adjustable)	\$12.00
750139-000	75" Shoulder Strap	\$13.00

PrintPAD Ordering Notes

- 1) All PrintPADs include two batteries, hand strap, and paper roll.
- 2) Power supply must be ordered separately.
- 3) All PrintPADs shipped after 1/1/06 include a standard factory warranty period of two years.

PrintPAD 7900
Honeywell Compatible



Part Number	Item Description	List Price
208113-100	<p>Printer, PrintPAD 7900</p> <p>The PrintPAD 7900 is a rugged four inch wide thermal receipt printer incorporating a communications and charging cradle for the Dolphin 7900 HHC. This configuration includes a larger paper roll, external charging port, and an improved HHC retention latch. Supports printing of 1-D and 2-D bar codes, signature capture, and condensed 80-column font for invoice printing. Includes built-in intelligent battery charging, 512KB of flash memory, 128KB RAM, two batteries, hand strap, and User Guide.</p>	\$1,280.00
208110-100	<p>Printer, PrintPAD 7900, Dex</p> <p>This version of the PrintPAD 7900 includes all of the features of 208113-100 as well as a Dex port and Dex cable.</p>	\$1,380.00

PERIPHERALS AND ACCESSORIES

Part Number	Item Description	List Price
Chargers		
220515-100	AC Adapter, Universal, U.S. plug	\$52.00
220516-100	AC Adapter, Universal, Euro plug	\$57.00
220517-100	AC Adapter, Universal, U.K. plug	\$64.00
220521-100	AC Adapter, Universal, Swiss plug	\$64.00
220518-100	AC Adapter, Universal, Australian plug	\$66.00
210247-100	DC Power Extension	\$11.00
510116-001	Cigarette Lighter Power Cable, Thermal Printers	\$17.00
Comm. Cables		
210237-100	DEX Cable, PrintPAD CN3/4/3e/4e, MC70/75, 9000, 7900	\$27.00
210164-100	DB9F (Coiled) Right Angle Cable	\$39.00
Accessories		
220205-200	Kit, 3' (AMP) Right Angle Power Extension Cable	\$108.00
220206-200	Kit, 6' (AMP) Right Angle Power Extension Cable	\$110.00
220207-200	Kit, 10' (AMP) Right Angle Power Extension Cable	\$116.00
220210-200	Kit, 10' Fuse Box Right Angle Power Cable	\$140.00
550039-100	Replacement Battery, 7.2V, 2200 mAh, Lithium Ion	\$77.00
220220-100	Battery Charger, MF4t, Double Bay ²⁾	\$260.00
280228-000	3" Spindle Bracket (MF4t, PrintPAD CN3/4/3e/4e, MC70/75, 9000, 7900)	\$9.00
210223-000	PrintPAD Handle Strap Kit (non-adjustable)	\$12.00
750139-000	75" Shoulder Strap	\$13.00

PrintPAD 7900 Ordering Notes

- 1) All PrintPADs include two batteries, hand strap, and paper roll.
- 2) Power supply must be ordered separately.
- 3) All PrintPADs shipped after 1/1/06 include a standard factory warranty period of two years.

S2000i



Part Number	Item Description	List Price
771181	S2000i, RS232 and IrDA	\$595.00
77118S1-3	S2000i, RS232 and Class 2 Bluetooth®	\$675.00
77118S1R-3	S2000i, RS232, Class 2 Bluetooth® and MCR	\$755.00

Apex 4 Printers include the following items:

- Universal AC Adapter (90-minute Fast Charge)
- NiMH Battery
- Printer Ribbon, Black
- 1 Paper Roll
- 12 month warranty (including print mechanism)

PERIPHERALS AND ACCESSORIES

Part Number	Item Description	List Price
Chargers		
157261	Universal AC Adapter (US, UK, Euro & Australian Plugs)	\$30.00
151133	10.6V to 30V In-Vehicle Charger (Must use battery in printer)	\$75.00
767700-1	Battery Charger (4 Bay) Li-Ion, 120VAC	\$300.00
767700-2	Battery Charger (4 Bay) Li-Ion, 220VAC	\$300.00
767700-4	Battery Charger (4 Bay) Li-Ion, 240 VAC	\$300.00
Comm. Cables		
5892RJD9-1	Coiled Cable - Straight RJ Plug	\$30.00
5892RJD9	Coiled Cable - Right Angled RJ Plug	\$30.00
5892RJOPEN	Coiled Cable Unterminated - Straight RJ Plug	\$20.00
Accessories		
756998	Belt Loop System (Compatible with S2000i)	\$35.00
757351	Shoulder Strap System (Compatible with all Apex Printers)	\$35.00
757992	S2000 Protective Rubber Boot	\$25.00
756996	S2000 Case	\$60.00
7AWINCE	Windows PrinterCE SDK from Field Software	\$39.90
7ACENETCF	Windows PrinterCE.Net CF SDK from Field Software	\$49.90
757160	Magnetic Card Reader Cleaning Cards (5 per order)	\$5.00
7A100005	Battery (NiMH; 1600 mAh)	\$45.00

microFlash 8i Wireless Dot Matrix Printers, 270 cps



Part Number	Item Description	List Price
200190-100	Printer, MF8i, Portable, 270 cps, Serial ¹⁾ The MF8i high speed dot matrix printer produces full size multi-part invoices and delivery receipts at a print speed of 270 cps. Powered by 12V nickel metal hydride battery or by a vehicle's 12V power source. Includes 512KB of flash memory, 128KB RAM, ribbon, and User Guide.	\$1,412.00
200191-100	Printer, MF8i, Portable, 270 cps, Bluetooth ¹⁾ The MF8i high speed dot matrix printer produces full size multi-part invoices and delivery receipts at a print speed of 270 cps. Powered by 12V nickel metal hydride battery or by a vehicle's 12V power source. Includes 1024KB of flash memory, 512KB RAM, ribbon, User Guide, and factory installed Bluetooth module.	\$1,612.00

PERIPHERALS AND ACCESSORIES

Part Number	Item Description	List Price
Chargers		
220180-100	AC Adapter, Universal High Capacity, U.S. plug	\$122.00
220181-100	AC Adapter, Universal High Capacity, Euro plug	\$122.00
220182-100	AC Adapter, Universal High Capacity, U.K. plug	\$122.00
220185-100	AC Adapter, Universal High Capacity, Australian plug	\$122.00
510117-001	Cigarette Lighter Power Cable, Impact Printers	\$15.00
Comm. Cables		
210147-101	Data Cable DB9F - 7' (non-coiled)	\$24.00
210050-100	Data Cable DB9F (coiled)	\$36.00
Accessories		
220205-100	Kit, 3' (AMP) Straight Power Extension Cable	\$96.00
220206-100	Kit, 6' (AMP) Straight Power Extension Cable	\$98.00
220207-100	Kit, 10' (AMP) Straight Power Extension Cable	\$104.00
220210-100	Kit, 10' Fuse Box Straight Power Cable	\$125.00
220142-000	Economy Mounting Bracket (for vehicle mount applications)	\$68.00
220152-000	Locking Mounting Bracket (for vehicle mount applications)	\$92.00
210148-101	Cable Assembly Adapter, DC Jack to AMP	\$36.00
750044-000	Softcase for Printer	\$154.00
750063-000	Softcase for Printer and Cradle	\$176.00
550036-100	Battery, 12V NiMH 4000 mAh ³⁾	\$130.00

MF8i Ordering Notes:

- 1) All MF8i printers include a ribbon; battery must be ordered separately.
- 2) Battery use recommended for all MF8i 270 cps printers, even when powered by vehicle's 12V power source.
- 3) 410012-000 replacement ribbons should be ordered from Datamax-O'Neil Printer Supplies division.
- 4) The microFlash 8i printer is warranted against defects in workmanship and materials for a period of 12 months from date of shipment.

Route Printer (RP) Series



Part Number	Item Description	List Price
209160-100	<p>Printer, RP2000-9000, 270 cps, Serial ^{1, 2)}</p> <p>The RP2000-9000 is a portable dot matrix printer that is rugged enough to be used in the cab of a truck or carried into remote shipping or receiving areas. This one piece printing solution incorporates a communications and charging cradle for the MC90XX-S HHC and produces full size (8 1/2" x 11") and A4 multiple copy invoices at 270 characters per second. Powered by vehicle's 12-volt power source or optional 12V nickel metal hydride battery.</p>	\$1,805.00
209164-100	<p>Printer, RP2000-9000, 270 cps, Bluetooth ^{1, 2)}</p> <p>This RP2000-9000 configuration incorporates a communications and charging cradle for the MC90XX-S HHC and a factory installed Bluetooth module.</p>	\$2,005.00

PERIPHERALS AND ACCESSORIES

Part Number	Item Description	List Price
Chargers		
220180-100	AC Adapter, Universal High Capacity, U.S. plug	\$122.00
220181-100	AC Adapter, Universal High Capacity, Euro plug	\$122.00
220182-100	AC Adapter, Universal High Capacity, U.K. plug	\$122.00
220185-100	AC Adapter, Universal High Capacity, Australian plug	\$122.00
510117-001	Cigarette Lighter Power Cable, Impact Printers	\$15.00
Comm. Cables		
210206-000	6' Download Cable, RP 8000 Series	\$88.00
210226-000	15' Download Cable, RP 8000 Series	\$94.00
210242-100	Download Cable, MC9000 Series	\$65.00
Accessories		
210148-101	Cable Assembly Adapter, DC Jack to AMP	\$36.00
220205-100	Kit, 3' (AMP) Straight Power Extension Cable	\$96.00
220206-100	Kit, 6' (AMP) Straight Power Extension Cable	\$98.00
220207-100	Kit, 10' (AMP) Straight Power Extension Cable	\$104.00
220210-100	Kit, 10' Fuse Box Straight Power Cable	\$125.00
550036-100	12-volt NiMH 4000 mAh battery	\$130.00

RP-2000 Ordering Notes

- 1) All RP-2000 printers include a ribbon; battery must be ordered separately.
- 2) Battery use recommended for all RP-2000 printers when powered by vehicle's 12V power source to protect against vehicle power fluctuations during print operations.
- 3) 410012-000 replacement ribbons should be ordered from Datamax-O'Neil Printer Supplies division.
- 4) The RP-2000 printers are warranted against defects in workmanship and materials for a period of 12 months from date of shipment.

VMP Series Vehicle Mount Dot Matrix Printers



Part Number	Item Description	List Price
209125-100	Printer, VMP-2000, Serial, 270 cps The VMP-2000 is a rugged vehicle mount printer that produces full size (8 1/2" x 11") and A4 multiple copy invoices at 270 characters per second. Powered by vehicle's 12 volt power source. Mounting options include wall/bulkhead or console/dash. A DB-9 data connection to a Symbol cradle is standard.	\$1,595.00
209127-100	Printer, VMP-2000, Bluetooth, 270 cps Supports Bluetooth wireless data communications and includes factory installed Bluetooth module.	\$1,795.00

PERIPHERALS AND ACCESSORIES

Part Number	Item Description	List Price
Chargers		
220180-100	AC Adapter, Universal High Capacity, U.S. plug	\$122.00
220181-100	AC Adapter, Universal High Capacity, Euro plug	\$122.00
220182-100	AC Adapter, Universal High Capacity, U.K. plug	\$122.00
220185-100	AC Adapter, Universal High Capacity, Australian plug	\$122.00
510117-001	Cigarette Lighter Power Cable, Impact Printers	\$15.00
Comm. Cables		
210215-100	Download Cable, DB9-M to DB9-F, 6'	\$15.00
Accessories		
210148-101	Cable Assembly Adapter, DC Jack to AMP	\$36.00
220205-100	Kit, 3' (AMP) Straight Power Extension Cable	\$96.00
220206-100	Kit, 6' (AMP) Straight Power Extension Cable	\$98.00
220207-100	Kit, 10' (AMP) Straight Power Extension Cable	\$104.00
220210-100	Kit, 10' Fuse Box Straight Power Cable	\$125.00
510086-100	DC Power Cable, Straight Conn, Black, 18AWG, 6'	\$8.00
220154-100	Kit, Deluxe Dashmount and Paper Tray ¹⁾	\$270.00
220151-100	25° Dashmount Bracket with Paper Tray	\$174.00
220153-100	Cradle Bracket for Dashmount	\$32.00
220199-000	VMP 1000/2000 Wall Mounting Vibration Bracket Kit	\$65.00
220146-001	VMP 1000/2000 Horizontal Mount Vibration Bracket Kit	\$65.00
220155-000	Paper Tray for Box of Paper	\$35.00

VMP-2000 Ordering Notes

- 1) 220154-100 Kit includes 220151-100, 220153-100, and 220146-000
- 2) 410012-000 replacement ribbons should be ordered from Datamax-O'Neil Printer Supplies division.
- 3) The VMP-2000 printer is warranted against defects in workmanship and materials for a period of 12 months from date of shipment.